



Miniature Lamps (Alphanumeric)

Item	Order Code	Amps	Volts	Base	Filament	MOL in/mm	MOD in/mm	Life
1820	40368	0.1	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1820-BP	81124	0.1	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1820BTS	49790	0.1	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1820R	00723	0.1	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1821	40370	0.17	28	E10	C-2F	1.19/30.2	0.43/11.0	500
1822	40372	0.1	36	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1828	40380	0.05	37.5	BA9s	C-2F	1.19/30.2	0.43/11.0	3,000
1829	40382	0.07	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1829-BP	81126	0.07	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1835	40386	0.05	55	BA9s	C-2F	1.19/30.2	0.43/11.0	5,000
1843	40707	0.022	28	BA9s	C-2F	1.19/30.2	0.43/11.0	3,000
1847	40390	0.15	6.3	BA9s	C-2R	1.19/30.2	0.43/11.0	5,000
1850	40394	0.09	5	BA9s	C-2R	1.19/30.2	0.43/11.0	1,500
1864	40398	0.17	28	BA9s	C-2F	1.19/30.2	0.43/11.0	1,500
1866	40400	0.25	6.3	BA9s	C-2R	1.19/30.2	0.43/11.0	5,000
1869	49698	0.014	10	WL	C-2F	0.52/13.2	0.23/5.9	50,000
1873	40404	0.2	28	BA9s	C-2F	1.19/30.2	0.43/11.0	7,000
1873-BP	81129	0.2	28	BA9s	C-2F	1.19/30.2	0.43/11.0	7,000
1876	49699	2.5	3.5	BA15s	C-6	1.75/44.5	0.65/16.5	2,000
1888	40406	0.5	7	BA9s	C-2R	1.19/30.2	0.43/11.0	1,500
1889	40408	0.27	14	BA9s	C-2F	1.19/30.2	0.43/11.0	2,000
1889-BP	49689	0.27	14	BA9s	C-2F	1.19/30.2	0.43/11.0	2,000
1891	40409	0.24	14	BA9s	C-2F	1.19/30.2	0.43/11.0	500
1891-BP	40410	0.24	14	BA9s	C-2F	1.19/30.2	0.43/11.0	500
1892	40412	0.12	14.4	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1892-BP	42180	0.12	14.4	BA9s	C-2F	1.19/30.2	0.43/11.0	1,000
1893	40413	0.33	14	BA9s	C-2F	1.19/30.2	0.43/11.0	7,500
1893-BP	40414	0.33	14	BA9s	C-2F	1.19/30.2	0.43/11.0	7,500
1895	40416	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895A	40419	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895A-BP	49447	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895B	40719	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895B-BP	40721	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895-BP	40417	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895G	00754	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1895R	40725	0.27	14	BA9s	C-2F	1.07/27.2	0.59/15.0	2,000
1906	40422	0.07	5	BA9s	C-6	1.19/30.2	0.43/11.0	1,000
2040-BP	42182	0.625	12.8	W2x4.6d	CC-6	1.29/32.8	0.38/9.6	500
2057	40448	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057A	42262	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057A-BP	42062	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057-BP	40449	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057LL	42522	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	2400/10000
2057LL-BP	40325	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	2400/10000
2057NA	40455	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057NA-BP	40456	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	1200/5000
2057NALL	42524	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	2400/10000
2057NALL-BP	40341	2.1/0.48	12.8/14	BAY15d	C-6/C-6	2.00/50.8	1.04/26.4	2400/10000
2058U	40451	2.1/0.48	12.8/14	WL	C-6/C-6	1.81/46.0	1.04/26.4	1200 / 5000
2102	16026	0.04	18	WL	C-2F	0.52/13.2	0.23/5.9	10,000
2114	40464	0.06	6	WL	C-2R	0.46/11.7	0.17/4.3	3,000
2162	40468	0.1	14	WL	C-2F	0.52/13.2	0.23/5.9	10,000
2174	40470	0.04	12	WL	C-2F	0.52/13.2	0.23/5.9	10,000
2176	40472	0.05	24	WL	C-2F	0.52/13.2	0.23/5.9	1,000
2181	49106	0.2	6.3	WL	C-2F	0.52/13.2	0.23/5.9	20,000
2182	40478	0.08	14	WL	C-2F	0.52/13.2	0.23/5.9	40,000