

Morris Products Inc. Ph: 518-743-0523

Fax: 518-743-0536 www.morrisproducts.com


ACCESS ABLE® ACCESS PANELS

Technical Specification



TECHNICAL SPECIFICATION: Access Able Access Panels are designed to allow access to service areas. Access Panels can be used for access to plumbing, electrical, security systems, telephone, computer cables, and sprinkler systems. Reversible feature allows for flush mounting or surface mounting.





PHYSICAL/CHEMICAL PROPERTIES

Material High Impact ABS Color White

DIRECTIONS FOR USE

Surface Mount Installation: Cut appropriate size opening using frame as a template. Check for level. Apply construction adhesive to backside of frame flange. Fit frame into opening. Press flange against wall to ensure flat installation. After adhesive is set, snap door into place. **Flush Mount Installation:** Nail or screw frame into place at desired location with flange flat against the stud. Check for level. Drywall or plaster to the top of the flange. Snap on door after wall covering is complete.

<u>COMMON APPLICATIONS</u> Access Panels provide access to service areas, while allowing an easy installation into wall surface. Patented clips on panel door and frame eliminate sagging or bowing of door in ceiling applications.

| ✓ | PRODUCT NUMBER | DESCRIPTION | Actual Door Size | | Frame Size to Outer Flange | | Wall Opening | | PACK |
|---|-------------------|------------------------|------------------|-------|-------------------------------|---------|--------------|---------|------|
| | | | Α | В | С | D | E | F | |
| | 34054 | 4" x 6" Access Panel | 4" | 6" | 5-1/4" | 7-1/4" | 4 1/4" | 6-1/4" | 12 |
| | 34055 | 6" x 9" Access Panel | 6" | 9" | 8-1/4" | 11-1/4" | 6-3/8" | 9-3/8" | 6 |
| | 34045 | 8" x 8" Access Panel | 8" | 8" | 10-1/4" | 10-1/4" | 8-3/8" | 8-3/8" | 6 |
| | 34056 | 14" x 14" Access Panel | 13-¾" | 13-¾" | 17" | 17" | 14" | 14" | 6 |
| | 34044 | 14" x 29" Access Panel | 13-3/4" | 29" | 17" | 32-1/4" | 14" | 29-1/2" | 6 |

Data is subject to manufacturing tolerances.

H-1 8/2010