

Cooper B-Line manufactures a wide variety of high quality cable pathway products that are designed for modern, high performance network cabling. This section contains our cable runway product family, which is designed to be a pathway for backbone and horizontal cable runs between racks and cabinets to anywhere from the primary service entry to the workstations. We offer a variety of runway styles with different features suited for these varying applications. Our SB17U series runway is our most popular configuration (1 1/2" rungs on 12" centers) is individually boxed for finish protection. Our SB17 and SB17T series runway is designed with telco rung spacing (1" rungs on 9" centers) and represent a great value for installers. Our SB13 series aluminum runway offers unparalleled flexibility, light system weight and ease of installation compared to steel runway paths.

All cable pathway devices are designed to meet or exceed all applicable industry standards and requirements of applicable TIA/EIA standards that reference cable pathway products. All applicable Cooper B-Line's cable runway and accessory products are UL Classified as well.

Cooper B-Line also manufactures a wide variety of other cable runway accessories including splice clamps, horizontal and vertical bends, support kits, drop-outs, cable retaining posts, support pans and other common accessories. Whatever the application, from copper to fiber, Cooper B-Line has the products you need to tackle any cabling pathway requirement.

Are we missing a component you need? Contact us. Our engineering team will be glad to discuss your needs and provide a design for your specific application. Our goal is to be your preferred supplier for all your comm/data equipment support needs.

Material:	Type	Thickness	Specifications
	Steel Bar 3/8" (9.5mm) - 7 Gauge (4.5mm) ASTM A36
	Steel Strip 10 Gauge (3.4mm) - 16 Gauge (1.5mm) ASTM A569
	Steel Tube065 (1.7mm) ASTM A513
	Extruded Aluminum (AL) ASTM 6063-T6

Finish:

Powder Coat Paint


- Telco Gray (TG)
- Computer White (CW)
- Flat Black (FB)

Chemical Conversion Coatings Available

- Yellow Zinc (YZ) ASTM B633
- Black Zinc (BZ) ASTM B633



(AL)
Aluminum



(TG)
Telco Gray



(CW)
Computer
White



(FB)
Flat Black
&
(BZ)
Black Zinc



(YZ)
Yellow Zinc

Standard Conformances:

UL Classified as an equipment grounding conductor (File No. E60548).
Painted finishes must be removed at grounding connection before attaching
conductive splices or jumpers.

Table of Contents

Tubular Stringer Style - 1 1/2" Boxed	116
Tubular Stringer Style - 1 1/2" with Tubular Rungs	117
Tubular Stringer Style - 1 1/2" with C-Channel Rungs (Value Line)	118
Aluminum C-Channel Stringer Style - 1 1/2"	119
Redi-Rail™ Runway Layout	120
Redi-Rail Runway Accessories	121
Butt Splice Clamp & Kit	122
Heavy Duty Butt Splice Clamp & Kit	123
90° Junction Splice Clamp & Kit	124
Adjustable Junction Splice Clamp & Kit	125
Runway Stringer Reducer Butt Splice Kit	125
Horizontal Reducing & 90° Junction Butt Splice Kit	126
Cable Runway Isolation Kit	126
90° Corner Support Kit	127
Adjustable Butt Splice Kit	127
Adjustable Vertical Splice Kit & Adjustable Junction Splice Kit	128
Adjustable Runway Horizontal to Vertical Transition Kit	129
Universal 90° Vertical Bends	130
90° Horizontal Bends	131
Runway Support & Support Kits	132
Slotted Runway Support & Support Kit	133
Runway To Ceiling Kit	134
"J" Clip & "J" Clip Kit	135
Spanner Clip & Spanner Clip Kit	136
Runway Standoff Supports	137
Runway Stand-Off Kit	138
Runway Hold-Down Clamp Kit	139
Runway Foot Kit	139
Triangular Runway Wall Support Kits	140
Runway Wall Angle Support Kit	141
Runway Wall Support Isolation Kit	141
Runway Wall Supports	142
Cable Runway Center Hung Support	143
Runway Center Support Hanger Kit	143
Runway Support	144 - 145
3" Rack Top Plate Runway Support Kits	146
3" Rack Top Plate Redi-Rail™ Support Kits	147
6" Rack Top Plate Runway Support Kits	148
Runway Termination Kit	149
Grounding Strap & Cable Support Bar	150
Rung Drop-Out Kit	151
Runway Drop-Out	152
Side Drop-Out & Universal Drop-Out	153
Drop-Out Aluminum C-Channel Stringers Only	154
End Caps	155
Cable Runway Pan	156
Kydex®† Runway Pan & Pan Support	157
Offset & Straight Cable Horns - Stringer Mounted	158
Cable Horns - Rung Mounted	159
Overhead Power Cable Support	159
Cable Retaining Post	160
Overhear Power Cable Supports	161
Cable Guide - Roller Type	161
Power Cable Supports	162
Patch Panel Rack - Runway Stringer Mounted	163

† Mark shown is property of respective owner.


Cable Runways & Accessories

Tubular Stringer Style - 1 1/2" (Boxed)

- Ladder type cable runway for communication cabling pathways.
- Mounts to ceilings, walls, floors, relay racks, and electronic enclosures.
- 3/8" (9.5mm) x 1 1/2" (38.1mm) steel tube welded rungs spaced 12" (305mm) on center.
- All finishes are UL Classified as suitable as an equipment grounding conductor (File number E60548). Requires the use of bonding jumpers on painted finishes to maintain classification.
- Individually boxed in a carton suitable for shipping.
- Available palletized without individual boxes for larger installation projects.
- Material: ASTM A513 Grade 1008 steel tube
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Note: For runway pans see pages 156 & 157



CABLE RUNWAYS & ACCESSORIES


Series Number	Stringer Dimensions	Span		Recommended Load		Max. Load @ 5/8" Deflection		Deflection Multiplier
		Ft.	(m)	Lbs./Ft.	(N/m)	Lbs./Ft.	(N/m)	
SB17U		4	(1.22)	149	(2174)	347	(5062)	0.0018
		5	(1.52)	95	(1386)	145	(2115)	0.0043
		6	(1.83)	66	(963)	70	(1021)	0.0089

UL Cross Sectional Area
0.40 in ² (2.58 cm ²)
Design Factors for (1) Rail
Area = .210 in ² (1.35 cm ²)
Sx = .066 in ³ (1.08 cm ³)
Ix = .050 in ⁴ (2.08 cm ⁴)

SB17U Tubular - 1 1/2" (38mm) Stringers

	Part Number	'W' Width		Weight	
		In.	(mm)	Lbs.	(kg)
	SB17U06B__	6"	(152)	18.0	(8.2)
	SB17U09B__	9"	(228)	21.0	(9.5)
✓	SB17U12B__	12"	(305)	23.0	(10.4)
	SB17U15B__	15"	(381)	25.0	(11.3)
✓	SB17U18B__	18"	(457)	28.0	(12.7)
✓	SB17U24B__	24"	(609)	32.0	(14.5)
	SB17U30B__	30"	(762)	37.0	(16.8)
	SB17U36B__	36"	(914)	41.0	(18.6)

Rung Profile



3/8" x 1 1/2"
.060 thick


✓ FB & TG are popular items

Tubular Stringer Style - 1 1/2" (Telco Spacing)

- Ladder type cable runway for communication cabling pathways.
- Mounts to ceilings, walls, floors, relay racks, and electronic enclosures.
- 3/8" (9mm) x 1 1/2" (38mm) x 0.060" (1.5mm) tubular steel stringers.
- 1/2" (13mm) x 1" (25mm) x 0.060" (1.5mm) tubular steel rungs spaced 9" (228mm) on center.
- All finishes are UL Classified as suitable as an equipment grounding conductor (File number E60548). Requires the use of bonding jumpers on painted finishes to maintain classification.
- Material: ASTM A513 Grade 1008 structural steel tubing
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Note: For runway pans see pages 156 & 157



Series Number	Stringer Dimensions	Span		Recommended Load		Max. Load @ 5/8" Deflection		Deflection Multiplier
		Ft.	(m)	Lbs./Ft.	(N/m)	Lbs./Ft.	(N/m)	
SB17T		4	(1.22)	149	(2174)	347	(5062)	0.0018
		5	(1.52)	95	(1386)	145	(2115)	0.0043
		6	(1.83)	66	(963)	70	(1021)	0.0089


UL Cross Sectional Area
0.40 in ² (2.58 cm ²)
Design Factors for (1) Rail
Area = .210 in ² (1.35 cm ²)
Sx = .066 in ³ (1.08 cm ³)
Ix = .050 in ⁴ (2.08 cm ⁴)

SB17T Tubular - 1 1/2" (38mm) Stringers

Part Number	'W' Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB17T06___	6"	(152)	18.7	(8.5)
SB17T09___	9"	(228)	20.9	(9.5)
✓ SB17T12___	12"	(305)	23.1	(10.5)
SB17T15___	15"	(381)	25.2	(11.5)
✓ SB17T18___	18"	(457)	27.4	(12.4)
SB17T24___	24"	(609)	31.7	(13.4)

✓ FB & TG are popular items

Rung Profile



1/2" x 1"
.060 thick


Cable Runways & Accessories

Tubular Stringer Style - 1 1/2" (Value Line)

- Ladder type cable runway for communication cabling pathways.
- Mounts to ceilings, walls, floors, relay racks, and electronic enclosures.
- 1/2" (13mm) x 1" (25mm) steel channel welded rungs spaced 9" (228mm) on center.
- All finishes are UL Classified as suitable as an equipment grounding conductor (File number E60548). Requires the use of bonding jumpers on painted finishes to maintain classification.
- Material: ASTM A513 Grade 1008 steel tube
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Note: For runway pans see pages 156 & 157



CABLE RUNWAYS & ACCESSORIES


Series Number	Stringer Dimensions	Span		Recommended Load		Max. Load @ 5/8" Deflection		Deflection Multiplier
		Ft.	(m)	Lbs./Ft.	(N/m)	Lbs./Ft.	(N/m)	
SB17		4	(1.22)	149	(2174)	347	(5062)	0.0018
		5	(1.52)	95	(1386)	145	(2115)	0.0043
		6	(1.83)	66	(963)	70	(1021)	0.0089

UL Cross Sectional Area
0.40 in ² (2.58 cm ²)
Design Factors for (1) Rail
Area = .210 in ² (1.35 cm ²)
Sx = .066 in ³ (1.08 cm ³)
Ix = .050 in ⁴ (2.08 cm ⁴)

SB17 Tubular - 1 1/2" (38mm) Stringers

Part Number	'W' Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB1706	6"	(152)	18.7	(8.5)
SB1709	9"	(228)	20.9	(9.5)
✓ SB1712	12"	(305)	23.1	(10.5)
✓ SB1715	15"	(381)	25.2	(11.5)
✓ SB1718	18"	(457)	27.4	(12.4)
SB1720	20"	(508)	28.8	(13.0)
✓ SB1724	24"	(609)	31.7	(13.4)
SB1730	30"	(762)	36.1	(16.4)
SB1736	36"	(914)	40.4	(18.3)

Rung Profile



1/2" x 1"
11 gauge


✓ FB & TG are popular items

Redi-Rail™ Runway - 1 1/2"

- Lightweight design for ease of installation.
- Aluminum (unpainted) is UL Classified.
- Uses standard cable runway accessories.
- 6", 9", 12", 15", 18", 20", 24", 30" and 36" widths.
- 9" rung spacing.
- Rungs can be removed or repositioned to accommodate the specific project or buildings requirements.
- Material: Aluminum.
- Both aluminum and painted finishes are UL Listed.
- Finish ___: Aluminum, or painted Flat Black (FB) or Telco Gray (TG) (Other finishes are available upon request)



Note: For runway pans see pages 156 & 157




Series Number	Stringer Dimensions	Span		Load		Deflection Multiplier
		Ft.	(m)	Lbs./Ft.	(N/m)	
SB13AL		4	(1.22)	81	(1182)	0.0033
		5	(1.52)	51	(744)	0.0080
		6	(1.83)	35	(510)	0.0166
		7	(2.13)	26	(379)	0.0308
		8	(2.44)	20	(292)	0.0526

UL Cross Sectional Area
0.60 in ² (3.87 cm ²)
Design Factors for (1) Rail
Area = .318 in ² (2.06 cm ²)
S _x = .116 in ³ (1.90 cm ³)
I _x = .087 in ⁴ (3.65 cm ⁴)

SB13AL C-Channel - 1 1/2" (38mm) Stringers

Part Number	'W' Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB13AL06__	6"	(152)	9.1	(4.1)
SB13AL09__	9"	(228)	9.8	(4.4)
SB13AL12__	12"	(305)	10.5	(4.7)
SB13AL15__	15"	(381)	11.2	(5.1)
SB13AL18__	18"	(457)	11.8	(5.4)
SB13AL20__	20"	(508)	12.3	(5.6)
SB13AL24__	24"	(609)	13.2	(6.0)
SB13AL30__	30"	(762)	14.6	(6.6)
SB13AL36__	36"	(914)	16.0	(7.2)

Rung Profile



3/4" high x 25/32" wide

Cable Runways & Accessories

End Caps SB21_

(see page 155 for chart & information)



Hanger Rod Bracket 9ZNR__

(see page 121 for chart & information)



Butt-Splice Clamp SB2107__BZ

(see page 122 for chart & information)



Cable Retaining Post SB126__FB

(see page 160 for chart & information)



CABLE RUNWAYS
& ACCESSORIES



Stand-Off Bracket SB227_FB

(see page 138 for chart & information)




Drop Out SB13ALDO_FB

(see page 154 for chart & information)



Outboard Rung 9A-SR0__

(see page 121 for chart & information)



Mounting Bracket 9ZN-MB1-4

(see page 121 for chart & information)

Hanger Rod Bracket

- Wall Studded bracket bolts to Redi-Rail™ holes.
- For 3/8" ATR.
- Loading is 1,000 lbs. (4.45kN), per pair, safety factor 3.
- Finish: Zinc Plated


Support ATR Size	Part No.
3/8"	9ZN-R238
1/2"	9ZN-R250



Out Board Rungs

- Formed aluminum rung with attachment screw.
- Field installs as required.
- Torque rung fasteners to 6 ft/lbs.
- Uniform load capacity on rung: 10 lbs.



Part No.	Fill Depth 'H'		Fill Width 'W'	
	in	(mm)	in	(mm)
9A-SR0406	4	(101)	6	(152)
9A-SR0409	4	(101)	9	(226)
9A-SR0506	5	(127)	6	(152)
9A-SR0509	5	(127)	9	(226)



Mounting Bracket



- Furnished with 1/4" mounting hardware.
- EIA/TIA panel mounting holes - both sides.
- Mounting holes with NEMA outlet/junction boxes.
- Zinc plated steel.

Part No.	'A'	
	in	(mm)
9ZN-MB1-4	3 5/8"	(92)




Cable Runway Butt-Splice Clamp & Kit

- Use to connect runway stringers.
- SB166A & SB166B includes one (1) clamp and hardware as shown.
- SB2107 kit includes two (2) clamps and hardware as shown.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




SB166A
For Single Stringer



SB166B For Dual Stringers

One Splice Clamp

Part Number	Runway Height		Stringer Style	Weight	
	In.	(mm)		Lbs.	(kg)
SB166A___	1 1/2"	(38)	Single	0.48	(.22)
SB166B___	1 1/2"	(38)	Dual	0.74	(.33)



SB2107
Kit For Single Stringers



Pair of Splice Clamps

Part Number	Runway Height		Stringer Style	Weight	
	In.	(mm)		Lbs.	(kg)
✓ SB2107___	1 1/2"	(38)	Single	0.95	(.43)


- ✓ BZ & YZ are popular items

Heavy Duty Cable Runway Butt-Splice Clamp & Kit

- Use to connect runway stringers.
- SB168C & SB168D includes one (1) clamp and hardware as shown.
- SB2135 kit includes two (2) clamps and hardware as shown.
- For additional strength use 3/8"-16 through bolts in attachment holes. (Not included)
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




SB168C For Single Stringer



SB168D For Dual Stringers

One Splice Clamp

Part Number	Runway Height		Stringer Style	Weight	
	In.	(mm)		Lbs.	(kg)
SB168C ___	1 1/2"	(38)	Single	0.50	(.23)
SB168D ___	1 1/2"	(38)	Dual	0.54	(.24)



SB2135 For Single Stringers



Pair of Splice Clamps

Part Number	Runway Height		Stringer Style	Weight	
	In.	(mm)		Lbs.	(kg)
✓ SB2135 ___	1 1/2"	(38)	Single	1.00	(.45)

✓ BZ & YZ are popular items

Runway 90° Junction Splice Clamp & Kit


- Use to connect cable runway stringers to form a 90° horizontal tee.
- SB165 includes one (1) clamp and hardware as shown.
- SB2101A kit includes two (2) clamps and hardware as shown.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548



SB165

One Splice Clamp

Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB165___	1 1/2"	(38)	0.32	(.14)



SB2101A



Pair of Splice Clamps

Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB2101A___	1 1/2"	(38)	0.63	(.28)


✓ BZ & YZ are popular items

Runway Adjustable Junction Splice Clamp

- Use to connect cable runway stringers at angles from 0° to 90°.
- SB167 includes one (1) clamp and hardware as shown.
- SB2103A kit includes two (2) clamps and hardware as shown.
- Runway mitering recommended.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548



SB167



SB2103A


Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB167	1 1/2"	(38)	0.35	(.16)

Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB2103A	1 1/2"	(38)	0.70	(.34)



Runway Stringer Reducer Butt-Splice Kit

- Use to connect 1 1/2" (38mm) runway stringer to 2" (51mm) runway stringer.
- Includes: (2) 2" (51mm) clamps with hardware and (2) reducer bars.
- No drilling or modification necessary.
- Material: ASTM A570, A513 & A36 steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548



Part Number	Weight	
	Lbs.	(kg)
SB2108A	1.25	(0.57)




✓ BZ & YZ are popular items

Runway Stringer Reducing and 90° Junction Splice Kit

- Use to connect 1 1/2" (38mm) runway stringer to 2" (51mm) runway stringer to form a 90° horizontal tee.
- Includes: (2) extension clamps, (2) corner clamps, (2) reducer bars and hardware.
- No drilling or modification necessary.
- Material: ASTM A570, A513 & A36 steel
- Finish: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




Part Number	Weight	
	Lbs.	(kg)
SB2108C	3.8	(1.7)




Cable Runway Isolation Kit

- Use to provide electrical isolation and splice cable runway.
- Material: Bar - Phenolic & Clamps - Steel
- Finish: Bar - Natural
Clamps and hardware - Yellow Zinc (YZ)



SB2502A Series Includes:
 (2) isolation bars,
 (4) straight splice clamps
 and 5/16"-18 hardware.




SB2502B Series Includes:
 (2) isolation bars
 (2) straight splice clamps
 (2) corner clamps and
 5/16"-18 hardware.

Part Number	Splice Type	Runway Height		Weight	
		In.	(mm)	Lbs.	(kg)
SB2502A	Straight	1 1/2"	(38)	2.30	(1.04)
SB2502A2	Straight	2"	(51)	2.40	(1.09)
SB2502B	Tee	1 1/2"	(38)	1.90	(0.86)
SB2502B2	Tee	2"	(51)	2.00	(0.91)

90° Corner Support Kit


- Use to provide additional support for intersecting cable runway and larger cable bend radius.
- Includes: (1) mitered runway section, (4) clamps and 3/8"-16 hardware.
- Material: ASTM A570 structural steel
- Finish ____: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG),
Flat Black Powder Coat (FB)
(Other finishes are available upon request)
- UL Classified - file number E60548



Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB2104____	1 1/2"	(38)	2.80	(1.27)

Adjustable Butt Splice Kit

- Use for vertical change in direction of cable runway.
- Includes: (2) splices and hardware.
- Attachment holes match 13/32" (10mm) holes in solid bar stringers.
- Works with both 1 1/2" & 2" stringer runways.
- Adjusts 180°.
- Material: ASTM A570 structural steel
- Finish ____: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




Part Number	Weight	
	Lbs.	(kg)
✓ SB2110A____	2.40	(1.09)

✓ BZ & YZ are popular items

Adjustable Vertical Splice Kit


- Use to connect cable runway stringers in a vertical direction.
- Adjusts 180°.
- Includes: (2) splices and hardware.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB2111A___	1 1/2"	(38)	2.40	(1.09)

Adjustable Junction Splice Kit

- Use to connect one cable runway to the side of another cable runway.
- Adjusts 270°.
- Includes: (2) splices and hardware.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB2111B___	1 1/2"	(38)	2.40	(1.09)



✓ BZ & YZ are popular items

Adjustable Runway Horizontal To Vertical Transition Kit

- Use for vertical change of direction of cable runway.
- All finishes are UL Classified as suitable as an equipment grounding conductor (file number E60548).
- Forms inside or outside bends.
- Includes: (1) transition section, (4) splices, (2) cable support bars, and hardware.
- Material: ASTM A513 and A570 structural steel
- Finish ____: Yellow Zinc (YZ), Flat Black Powder Coat (FB), Black Zinc (BZ) or Telco Gray Powder Coat (TG)




1 1/2" (38mm) Stringers

Part Number For	Runway Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB212806	6"	(152)	7.5	(3.4)
SB212809	9"	(228)	8.3	(3.7)
SB212812	12"	(305)	9.1	(4.1)
SB212815	15"	(381)	9.8	(4.4)
SB212818	18"	(457)	10.5	(4.7)
SB212820	20"	(508)	11.0	(5.0)
SB212824	24"	(609)	12.1	(5.5)
SB212830	30"	(762)	14.0	(6.4)
SB212836	36"	(914)	15.5	(7.0)

Universal 90° Vertical Bends

- Used to make a smooth, 90° vertical change in runway direction.
- Made of 1 1/2" x 3/8" ASTM A36 steel solid bar stringers and ASTM A513 Grade 1008 structural steel tubing rungs.
- All finishes are UL Classified as an equipment grounding conductor - file number E60548.
- Universal design to handle both inside and outside bends with one part.
- Four inside and outside rungs welded at 26° increments.
- Smooth 12" (305mm) inside radius.
- Connects to runway sections using standard runway splices.
- Slotted splice attachment holes provided for use with SB2135 series heavy duty splice plates.
- Provision for 1/4" grounding bolt provided on each corner.
- Compatible with "C"-channel, tubular, and solid bar cable runway.
- Range of widths from 6" (152mm) to 36" (914mm).
- Finish ___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB)
(Other finishes are available upon request)




1 1/2" (38mm) Stringers

Part Number	Runway Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB17VRB06 ___	6"	(152)	10.7	(4.85)
SB17VRB09 ___	9"	(228)	12.1	(5.49)
SB17VRB12 ___	12"	(305)	13.5	(6.12)
SB17VRB15 ___	15"	(381)	14.8	(6.71)
SB17VRB18 ___	18"	(457)	16.2	(7.35)
SB17VRB20 ___	20"	(508)	17.1	(7.75)
SB17VRB24 ___	24"	(609)	19.0	(8.62)
SB17VRB30 ___	30"	(762)	21.8	(9.89)
SB17VRB36 ___	36"	(914)	24.5	(11.11)

90° Horizontal Bends

- Used to make a smooth, 90° horizontal change in runway direction.
- Made of 1 1/2" x 3/8" ASTM A36 steel solid bar stringers and ASTM A513 Grade 1008 structural steel tubing rungs.
- All finishes are UL Classified as an equipment grounding conductor - file number E60548.
- Smooth 15" (381mm) inside radius.
- Connects to runway sections using standard runway splices.
- Attachment holes provided for use with SB2135 series heavy duty splice plates.
- Provision for 1/4" grounding bolt provided on each corner.
- Compatible with "C"-channel, tubular, and solid bar cable runway.
- Designed to comply with requirements for Category 5/5E/6 twisted pair and fiber optic cable bend radius.
- Range of widths from 6" (152mm) to 36" (914mm).
- Finish ____: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB)
(Other finishes are available upon request)




1 1/2" (38mm) Stringers

Part Number	Runway Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB17HRB06 ____	6"	(152)	12.0	(5.44)
SB17HRB09 ____	9"	(228)	13.5	(6.12)
SB17HRB12 ____	12"	(305)	14.9	(6.76)
SB17HRB15 ____	15"	(381)	17.2	(7.80)
SB17HRB18 ____	18"	(457)	18.8	(8.53)
SB17HRB20 ____	20"	(508)	19.8	(8.98)
SB17HRB24 ____	24"	(609)	23.3	(10.57)
SB17HRB30 ____	30"	(762)	26.9	(12.20)
SB17HRB36 ____	36"	(914)	30.4	(13.79)

Runway Support


- Use to suspend cable runway from all threaded rod.
- Includes one hanger support (no hardware).
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Runway Height		'H'		ATR Size	Hole Size		Weight	
	In.	(mm)	In.	(mm)		In.	(mm)	Lbs.	(kg)
SB156A___	1 1/2"	(38)	1 17/32"	(38.9)	1/2"-13	17/32"	(13.5)	0.38	(0.17)
SB156B___	1 1/2"	(38)	1 17/32"	(38.9)	5/8"-11	2 1/32"	(16.6)	0.38	(0.17)

Runway Support Kit

- Use to suspend cable runway from all threaded rod.
- Includes two hanger supports and hardware.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)





Part Number	Runway Height		ATR Size	Weight	
	In.	(mm)		Lbs.	(kg)
✓ SB2116A___	1 1/2"	(38)	5/8"-11	0.76	(0.34)
✓ SB2116D___	1 1/2"	(38)	1/2"-13	0.76	(0.34)

✓ BZ & YZ are popular items

Slotted Runway Support


- Use to suspend cable runway from all threaded rod.
- Includes one slotted hanger support (no hardware).
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Runway Height		'H'		ATR Size	Hole Size		Weight	
	In.	(mm)	In.	(mm)		In.	(mm)	Lbs.	(kg)
SB157A___	1 1/2"	(38)	1 9/16"	(39.7)	1/2"-13	9/16"	(14.3)	0.38	(0.17)
SB157B___	1 1/2"	(38)	1 9/16"	(39.7)	5/8"-11	1 1/16"	(17.5)	0.38	(0.17)

Slotted Runway Support Kit

- Use to suspend cable runway from all threaded rod.
- Slotted hanger support design allows easier cable runway installation.
- Includes two slotted hanger supports and hardware.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)




Part Number	Runway Height		ATR Size	Weight	
	In.	(mm)		Lbs.	(kg)
✓ SB2118A___	1 1/2"	(38)	5/8"-11	0.52	(0.23)
✓ SB2118D___	1 1/2"	(38)	1/2"-13	0.71	(0.32)

✓ BZ & YZ are popular items

Runway To Ceiling Kit


- Use to suspend cable runway paths from a ceiling.
- Includes (1) 72" (1829mm) section of all threaded rod, (1) ceiling hanger bracket, (1) runway support clip and (4) hex nuts
- Available in 3/8"-16 (SB2221A) or 5/8"-11 (SB2221C) threaded rod sizes. Other sizes available upon request.
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Runway Height		ATR Size	Weight	
	In.	(mm)		Lbs.	(kg)
SB2221A___	1 1/2"	(38)	3/8"-16	2.7	(1.22)
SB2221C___	1 1/2"	(38)	5/8"-11	6.5	(2.95)

'J' Clip & Kits


- Use to attach cable runway to auxiliary support.
- SB107 includes one (1) "J" clip and hardware as shown.
- SB2003A & SB2003B include one (1) "J" clip, one (1) framing clip, and hardware as shown.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)




SB107

'J' Clip


Part Number	Runway Height		Use With Support Structure	Weight	
	In.	(mm)		Lbs.	(kg)
SB107___	1 1/2"	(38)	3/8" (9mm) x 1 1/2" (38mm) runway	0.5	(0.22)



SB2003A



SB2003B




'J' Clip Kits

Part Number	Runway Height		Use With Support Structure	Weight	
	In.	(mm)		Lbs.	(kg)
SB2003A___	1 1/2"	(38)	3/16" (14mm) x 2" (51mm) tube or channel	0.5	(0.22)
SB2003B___	1 1/2"	(38)	3/8" (9mm) x 2" (51mm) bar	0.5	(0.22)


Spanner Clip & Kit

- Use to attach cable runway to auxiliary support.
- Used where rung of cable grid or cable runway is directly positioned over support tube, bar or channel.
- SB107A includes one (1) spanner clip and hardware as shown.
- SB2003E & SB2003F include one (1) spanner clip, one (1) framing clip, and hardware as shown.
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)




Spanner Clip


Part Number	Runway Height		Use With Support Structure	Weight	
	In.	(mm)		Lbs.	(kg)
SB107A___	1 1/2"	(38)	3/8" (9mm) x 1 1/2" (38mm) runway	0.5	(0.22)



SB2003E



SB2003F






Spanner Clip Kits

Part Number	Runway Height		Use With Support Structure	Weight	
	In.	(mm)		Lbs.	(kg)
SB2003E___	1 1/2"	(38)	9/16" (14mm) x 2" (51mm) tube or channel	0.6	(0.27)
SB2003F___	1 1/2"	(38)	3/8" (9mm) x 2" (51mm) bar	0.6	(0.27)

Runway Standoff Support


- Use to support or suspend one cable grid or runway from another.
- Provides 12" (305mm) spacing between decks.
- Designed for parallel or perpendicular runways.
- Includes: (2) angle supports, (4) clamps and 3/8"-16 hardware.
- Material: Support & Clamps - ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- Note: For vertical support only.
Diagonal bracing may be required




Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB2125___	1 1/2"	(38)	5.0	(2.26)
SB21252___	2"	(51)	5.0	(2.26)

Runway Stand-Off Kit


- Use to provide additional space between the top of racks and enclosures over standard runway attachment devices.
- Elevation kits options are 2" (51mm, 2 1/2" (63mm) or 3" (76mm) and 4" (101mm, 5" (127mm) or 6" (152mm).
- Can be installed to accommodate perpendicular or parallel pathway orientations.
- Rack elevation kits include: (1) pair of brackets and assembly hardware.
- Cabinet elevation kits include: (2) pair of brackets and assembly hardware.
- Rack elevation kits attach to SB2133 or SB2134 series top plate runway support kits (sold separately).
- Cabinet elevation kits attach directly to the cabinets.
- Finish___: Flat Black Powder Coat (FB), Telco Gray Powder Coat (TG) or Yellow Zinc (YZ)



Two-Post Rack Application



Enclosure Application



CABLE RUNWAYS & ACCESSORIES

Part Number	Application	Runway Height		Elevation Settings		Weight	
		In.	(mm)	In.	(mm)	Lbs.	(kg)
SB227R3___	Two-Post Rack	1 1/2"	(38)	2", 2 1/2", & 3"	(51, 63, & 76)	1.5	(0.68)
SB227R6___	Two-Post Rack	1 1/2"	(38)	4", 5", & 6"	(101, 127, & 152)	1.5	(0.68)
SB227E3___	Enclosures	1 1/2"	(38)	2", 2 1/2", & 3"	(51, 63, & 76)	1.5	(0.68)
SB227E6___	Enclosures	1 1/2"	(38)	4", 5", & 6"	(101, 127, & 152)	1.5	(0.68)

Runway Hold-Down Clamp Kit

- Use to secure cable runway to wall, floor, ceiling, or strut.
- Order anchors separately.
- SB2114A Series include two (2) wall clamps.
- SB164 Series include one (1) wall clamp.
- Material: 11 Ga. (3.0mm) ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ), Flat Black Powder Coat (FB), or Telco Gray Powder Coat (TG)

One Clamp


Part Number	Runway Height 'H'		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB16411/2___*	1 1/2"	(38)	0.27	(0.12)

One Pair of Clamps

Part Number	Runway Height 'H'		Weight	
	In.	(mm)	Lbs.	(kg)
SB2114A___	1 1/2"	(38)	0.54	(0.24)

Runway Stringer



SB2114A Series
(Sold as one pair of clamps)



✓ FB & YZ are popular items

Runway Foot Kit

- Use to secure cable runway to floor, ceiling, or wall.
- Order anchors separately.
- Includes: (2) end supports, (2) clamps and 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)
- UL Classified - file number E60548




Part Number	Runway Height 'H'		Hole Size 'B'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
✓ SB2106A___	1 1/2"	(38)	7/16"	(11)	2.60	(1.18)
SB2106B___	1 1/2"	(38)	9/16"	(14)	2.60	(1.18)

✓ BZ & YZ are popular items

Triangular Runway Wall Support Kit

- Use to support cable runway from wall.
- Sized for both 1½" (38mm) & 2" (51mm) stringers.
- Welded steel construction.
- Designed for 6" (152mm), 9" (228mm), and 12" (305mm) cable runways.
- Order anchors separately.
- See SB214 for larger sizes.
- Support width: 2" (51mm)
- Includes: (1) wall support, (2) "J" bolts, and 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)




Part Number Steel	Runway Width 'W'		'A'		'B'		Weight	
	In.	(mm)	In.	(mm)	In.	(mm)	Lbs.	(kg)
✓ SB21306K___	6"	(152)	10"	(254)	77/8"	(254)	3.8	(1.7)
✓ SB21312K___	6" - 12"	(152 - 305)	131/8"	(254)	137/8"	(292)	5.9	(2.7)
✓ SB21318K___	12" - 18"	(305 - 457)	191/8"	(254)	197/8"	(368)	8.8	(4.0)

✓ FB, TG & YZ are popular items

*See page 8 for OPA details.


Runway Wall Angle Support Kit

- Use to secure cable runway to a wall.
- Sized for both 1 1/2" (38mm) & 2" (51mm) stringers.
- Order anchors separately.
- Includes: (1) angle bracket, (2) "J" Bolts and 5/16"-18 hardware.
- Material: 6 Gauge ASTM A569 steel
- Finish___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB) (Other finishes are available upon request)





Part Number For	Runway Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB211306___	6"	(152)	2.10	(0.95)
SB211309___	9"	(228)	2.60	(1.18)
✓ SB211312___	12"	(305)	3.70	(1.68)
✓ SB211315___	15"	(381)	4.50	(2.04)
SB211318___	18"	(457)	5.40	(2.45)
SB211320___	20"	(508)	6.00	(2.72)
SB211324___	24"	(609)	7.20	(3.26)
SB211330___	30"	(762)	9.00	(4.08)
SB211336___	36"	(914)	10.80	(4.90)

✓ FB, TG & YZ are popular items



Runway Wall Support Isolation Kit


- Use to secure and provide electrical isolation of cable runway to wall support.
- Includes: (2) pads, (2) "J" Bolts, (2) sleeve kits and hardware.
- Material: Polyester fiberglass - pad
6/6 Nylon - sleeve
steel - "J" Bolt and hardware
- Finish: Pad - Red
Sleeve - Natural
J-Bolts and hardware - Yellow Zinc (YZ)



Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB2501	1 1/2"	(38)	0.20	(0.09)

Runway Wall Support

- Use to support cable runway from wall.
- Sized for both 1 1/2" (38mm) & 2" (51mm) stringers.
- Welded steel construction.
- Designed for 15" (381mm), 18" (457mm), and 24" (609mm) cable runways.
- See SB213 for smaller sizes.
- Order anchors separately.
- Includes: (1) wall support, (2) "J" bolts, (2) framing clips, and 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish ___ : Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



SB214A Series


Part Number	Runway Width		'W' Bracket Width		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB214A15K ___	15"	(381)	18"	(457)	9.0	(4.1)
SB214A18K ___	18"	(457)	21"	(533)	9.3	(4.2)
SB214A24K ___	24"	(609)	27"	(686)	10.0	(4.5)

SB214B Series

Part Number	Runway Width		'W' Bracket Width		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB214B15K ___	15"	(381)	18"	(457)	10.0	(4.5)
SB214B18K ___	18"	(457)	21"	(533)	10.5	(4.7)
SB214B24K ___	24"	(609)	27"	(686)	11.4	(5.2)

Cable Runway Center Hung Supports


- Used to support cable runways.
- For use with 1/2"-13 or 5/8"-11 threaded rod.
- Welded steel construction.
- Includes: (1) support, (2) hold-down clamps, (2) HHCS, (2) channel nuts, (1) square washer, (2) 1/2"-13 hex nuts, and (2) 5/8"-11 hex nuts
- Material: ASTM A570 structural steel
- Finish___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB) (Other finishes are available upon request)




Part Number	Runway Width		'L'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
For 3/8" (9mm) x 1 1/2" (38mm) Stringers						
SB2127S06___	6"	(152)	9"	(228)	2.0	(0.9)
SB2127S09___	9"	(228)	12"	(305)	2.5	(1.1)
SB2127S15___	12" - 15"	(305-381)	21"	(533)	3.5	(1.6)
SB2127S20___	18" - 20"	(457-508)	21"	(533)	4.3	(1.9)
SB2127S24___	24"	(609)	27"	(686)	5.0	(2.3)

Runway Center Support Hanger Kit

- Use to suspend cable runway from a single all threaded rod.
- Welded steel construction.
- Includes: (1) center support and (2) 5/8"-11 hex nuts.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB) (Other finishes are available upon request)




Part Number	Runway Width		'W'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB212706A___	6"	(152)	6 1/8"	(155)	2.9	(1.3)
SB212709A___	9"	(228)	9 1/8"	(232)	3.4	(1.5)
SB212712A___	12"	(305)	12 1/8"	(308)	3.9	(1.7)
SB212715A___	15"	(381)	15 1/8"	(384)	4.3	(1.9)
SB212718A___	18"	(457)	18 1/8"	(460)	4.9	(2.2)
SB212720A___	20"	(508)	20 1/8"	(511)	5.3	(2.4)
SB212724A___	24"	(609)	24 1/8"	(613)	6.1	(2.7)



Runway Support

- Use to support cable runway from equipment cabinets, floor, or wall.
- Includes 5/16" "J" bolts and nuts. Anchors sold separately.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Part Number	'W'		'A'		'B'		'H'		Weight	
	In.	(mm)	In.	(mm)	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB2260602___							2"	(51)	1.1	(0.50)
SB2260604___							4"	(101)	1.4	(0.63)
SB2260606___	6"	(152)	9 ³ / ₄ "	(247)	7"	(178)	6"	(152)	1.7	(0.77)
SB2260608___							8"	(203)	2.1	(0.95)
SB2260610___							10"	(254)	2.4	(1.09)
SB2260612___							12"	(305)	2.7	(1.22)

Chart for SB226 series continued on page 145.


Cable Runways & Accessories

Part Number	'W'		'A'		'B'		'H'		Weight	
	In.	(mm)	In.	(mm)	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB2260902	9"	(228)	12 ³ / ₄ "	(324)	10"	(254)	2"	(51)	1.3	(0.59)
SB2260904							4"	(101)	1.7	(0.77)
SB2260906							6"	(152)	2.0	(0.91)
SB2260908							8"	(203)	2.3	(1.04)
SB2260910							10"	(254)	2.6	(1.18)
SB2260912							12"	(305)	2.9	(1.31)
SB2261202	12"	(305)	15 ³ / ₄ "	(400)	13"	(330)	2"	(51)	1.6	(0.72)
SB2261204							4"	(101)	1.9	(0.86)
SB2261206							6"	(152)	2.2	(1.00)
SB2261208							8"	(203)	2.5	(1.13)
SB2261210							10"	(254)	2.8	(1.27)
SB2261212							12"	(305)	3.2	(1.45)
SB2261502	15"	(381)	18 ³ / ₄ "	(476)	16"	(406)	2"	(51)	1.8	(0.81)
SB2261504							4"	(101)	2.1	(0.95)
SB2261506							6"	(152)	2.4	(1.09)
SB2261508							8"	(203)	2.8	(1.27)
SB2261510							10"	(254)	3.1	(1.40)
SB2261512							12"	(305)	3.4	(1.54)
SB2261802	18"	(457)	21 ³ / ₄ "	(552)	19"	(482)	2"	(51)	2.1	(0.95)
SB2261804							4"	(101)	2.4	(1.09)
SB2261806							6"	(152)	2.7	(1.22)
SB2261808							8"	(203)	3.0	(1.36)
SB2261810							10"	(254)	3.3	(1.49)
SB2261812							12"	(305)	3.6	(1.63)
SB2262002	20"	(508)	23 ³ / ₄ "	(603)	21"	(533)	2"	(51)	2.3	(1.04)
SB2262004							4"	(101)	2.6	(1.18)
SB2262006							6"	(152)	2.9	(1.31)
SB2262008							8"	(203)	3.2	(1.45)
SB2262010							10"	(254)	3.5	(1.59)
SB2262012							12"	(305)	3.8	(1.72)
SB2262402	24"	(609)	27 ³ / ₄ "	(705)	25"	(635)	2"	(51)	2.5	(1.13)
SB2262404							4"	(101)	2.8	(1.27)
SB2262406							6"	(152)	3.2	(1.45)
SB2262408							8"	(203)	3.5	(1.59)
SB2262410							10"	(254)	3.8	(1.72)
SB2262412							12"	(305)	4.1	(1.86)

Finish___ : Yellow Zinc (YZ), Telco Gray Powder Coat (TG),
Computer White Powder Coat (CW) or Flat Black Powder Coat (FB)

3" Upright Network Equipment Rack Top Plate Runway Support Kit

- Use to secure cable runway to top angles of network equipment rack.
- Accommodates runway in parallel or perpendicular arrangement.
- Includes: (1) mounting plate and (4) "J" bolts with 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG), or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)




CABLE RUNWAYS
& ACCESSORIES

Part Number	Runway Width		Width 'W'		Length 'L'		Weight	
	In.	(mm)	In.	(mm)	In.	(mm)	Lbs.	(kg)
✓ SB213309	6" - 9"	(152 - 228)	4"	(101)	9 ⁷ / ₈ "	(251)	3.4	(1.5)
✓ SB213312	8" - 12"	(203 - 305)	4"	(101)	12 ⁷ / ₈ "	(327)	4.3	(2.0)
✓ SB213318	14" - 18"	(355 - 457)	4"	(101)	18 ⁷ / ₈ "	(479)	6.1	(2.8)
SB213324	24"	(609)	7"	(178)	24 ⁷ / ₈ "	(632)	12.5	(5.7)

✓ FB, TG & YZ are popular items

3" Upright Network Equipment Rack Top Plate Redi-Rail™ Support Kit



- Use to secure Cooper B-Line Redi-Rail to top angles of network equipment rack.
- Accommodates Redi-Rail in parallel or perpendicular arrangement.
- Includes: (1) mounting plate, (2) hold-down plates, (2) "J" bolts, and 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG), or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Part Number	Redi-Rail Width 'W'		Plate Size Width x Length		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB213312RR___	9" - 12"	(228 - 305)	4" x 12 ⁷ / ₈ "	(101 x 327)	6.0	(2.72)
SB213318RR___	18"	(457)	4" x 18 ⁷ / ₈ "	(101 x 479)	6.3	(2.85)

6" Upright Network Equipment Rack Top Plate Runway Support Kit



- Use to secure cable runway to top angles of network equipment rack.
- Accommodates runway in parallel or perpendicular arrangement.
- Includes: (1) mounting plate and (4) "J" bolts with 5/16"-18 hardware.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG), or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Part Number	Runway Width 'W'		Length 'L'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB213209	6" - 9"	(152 - 228)	9 ³ / ₈ "	(238)	5.5	(2.49)
SB213212	8" - 12"	(203 - 305)	12 ³ / ₈ "	(314)	6.8	(3.08)
SB213218	14" - 18"	(355 - 457)	18 ³ / ₈ "	(467)	10.0	(4.53)
SB213224	24"	(609)	24 ³ / ₈ "	(619)	12.9	(5.85)

Runway Termination Kit

- Use to close end of cable runway.
- No drilling required for installation.
- Includes: (1) termination end, (2) clamps, and 3/8"-16 hardware.
- Material: ASTM A513 steel tube
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)




1 1/2" (38mm) Tube Stringers

Part Number	'W' Runway Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB210506___	6"	(152)	1.0	(0.45)
SB210509___	9"	(228)	1.2	(0.54)
SB210512___	12"	(305)	1.4	(0.63)
SB210515___	15"	(381)	1.5	(0.68)
SB210518___	18"	(457)	1.7	(0.77)
SB210520___	20"	(508)	1.9	(0.86)
SB210524___	24"	(609)	2.1	(0.95)
SB210530___	30"	(762)	2.5	(1.13)
SB210536___	36"	(914)	2.9	(1.31)


Cable Runways & Accessories

Grounding Strap

- Use to provide grounding path.
- Includes: (1) cable with crimped lugs and hardware.
- Material: #6 flexible tin plated copper wire



SB669^{3/8}x6^{3/4}



SB669^{3/4}x10^{1/2}
&
SB6691x7^{3/4}


Part Number	'A'		'B'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB669 ^{3/4} x10 ^{1/2}	10 ^{1/2} "	(267)	3/4"	(19)	.36	(0.16)
SB6691x7 ^{3/4}	7 ^{3/4} "	(197)	1"	(25)	.27	(0.12)
SB669 ^{3/8} x6 ^{3/4}	6 ^{3/4} "	(171)	N/A	N/A	.20	(0.09)

✓ Popular Bee List item

Cable Support Bar


- Use to support cable when using adjustable vertical bend SB2110.
- Material: 1/2" (13mm) x 13 Ga. (2.3mm) steel tubing
- Finish___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB) (Other finishes are available upon request)

3/8"-16 Threads
3/4" (19mm) Deep
Both Ends






1/2" (13mm) O.D.
Mechanical Tubing

Part Number	'L' Length		Weight	
	In.	(mm)	Lbs.	(kg)
SB16106	5 ^{7/32} "	(132)	0.24	(0.11)
SB16109	8 ^{7/32} "	(209)	0.37	(0.17)
SB16112	11 ^{7/32} "	(285)	0.51	(0.23)
SB16115	14 ^{7/32} "	(361)	0.64	(0.29)
SB16118	17 ^{7/32} "	(437)	0.78	(0.35)
SB16120	19 ^{7/32} "	(494)	0.87	(0.39)
SB16124	23 ^{7/32} "	(590)	1.05	(0.47)
SB16130	29 ^{7/32} "	(742)	1.32	(0.60)
SB16136	35 ^{7/32} "	(894)	1.59	(0.72)



Rung Drop-Out Kit



- Used to insert an extra rung on existing runway sections to accommodate cable drops.
- Attaches to 1 1/2" (38mm) x 3/8" (9mm) stringers.
- Compatible with all 1 1/2" (38mm) stringer runway styles.
- SB17RK series rungs include: (1) rung, (2) rung clips, and assembly hardware.
- SB17DRK series drop-out kits include: (1) rung, (2) rung clips, (1) runway dropout, and assembly hardware.
- Steel construction
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Part Number RK Series	Part Number DRK Series	Runway Width 'W'		Weight Each			
		In.	(mm)	RK Series Lbs.	(kg)	DRK Series Lbs.	(kg)
SB17RK05___	SB17DRK05___	5"	(127)	0.9	(0.41)	1.4	(0.63)
SB17RK06___	SB17DRK06___	6"	(152)	0.9	(0.41)	1.6	(0.72)
SB17RK09___	SB17DRK09___	9"	(228)	1.1	(0.50)	2.3	(1.04)
SB17RK12___	SB17DRK12___	12"	(305)	1.3	(0.59)	3.0	(1.36)
SB17RK15___	SB17DRK15___	15"	(381)	1.5	(0.68)	3.6	(1.63)
SB17RK18___	SB17DRK18___	18"	(457)	1.6	(0.72)	4.3	(1.93)
SB17RK20___	SB17DRK20___	20"	(508)	1.8	(0.81)	4.8	(2.17)
SB17RK24___	SB17DRK24___	24"	(609)	2.0	(0.91)	5.7	(2.58)
SB17RK30___	SB17DRK30___	30"	(762)	2.4	(1.09)	7.1	(3.22)
SB17RK36___	SB17DRK36___	36"	(914)	2.7	(1.22)	8.4	(3.81)

Steel Runway Drop-Out

- Use to provide a smooth radius for cable exit.
- SB2129 Series fits channel or tube rungs 1/2" (13mm) x 1" (25mm).
- SB2129U Series fits rungs 3/8" (9mm) x 1 1/2" (38mm).
- Cable tie down holes provided.
- 4" (102mm) cable bend radius.
- Includes: self-drilling screws.
- Material: 18 Gauge (1.2mm) ASTM A569 steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)




Part Number		Dropout Width 'L'		Runway Width 'W'		Weight	
SB2129 Series	SB2129U Series	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB212906___	SB2129U06___	4"	(101)	6"	(152)	0.7	(0.31)
SB212909___	SB2129U09___	7"	(178)	9"	(228)	1.2	(0.54)
✓ SB212912___	SB2129U12___	10"	(254)	12"	(305)	1.7	(0.77)
SB212915___	SB2129U15___	13"	(330)	15"	(381)	2.2	(0.99)
✓ SB212918___	SB2129U18___	16"	(406)	18"	(457)	2.7	(1.22)
SB212920___	SB2129U20___	18"	(457)	20"	(508)	3.0	(1.36)
SB212924___	SB2129U24___	22"	(559)	24"	(609)	3.7	(1.67)
SB212930___	SB2129U30___	28"	(711)	30"	(762)	4.7	(2.13)
SB212936___	SB2129U36___	34"	(863)	36"	(914)	5.7	(2.58)

✓ FB is a popular item


Side Drop-Out

- Allows for cable to exit from side of cable runway stringer.
- Provides a radius bend in accordance with EIA recommendations.
- Will fit either 3/8" (9mm) x 1 1/2" (38mm) or 2" (51mm) stringers.
- Includes installation hardware.
- Material: 14 ga. (1.9mm) ASTM A36 steel
- Finish ___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)




Part Number	Width		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB2129SD06__	5"	(127)	1.8	(0.8)
✓ SB2129SD09__	7 3/4"	(197)	1.8	(0.8)
✓ SB2129SD12__	10 1/4"	(260)	2.0	(0.9)
SB2129SD18__	16 3/4"	(425)	3.9	(1.7)
SB2129SD24__	22 1/4"	(565)	5.1	(2.3)

✓ BZ & YZ are popular items



Universal Drop-Out


- Drop-out can be used on both cable runway and relay racks.
- Provides a radius bend in accordance with EIA recommendations.
- Attaches with sheet metal screws (included).
- Material: Aluminum
- Finish ___: Brushed Aluminum (AL),
Telco Gray Powder Coat (TG),
Computer White Powder Coat (CW) or
Flat Black Powder Coat (FB)



Part Number	'W'		# of Screws	Weight	
	In.	(mm)		Lbs.	(kg)
SB78706__	5.44	(138)	2	0.3	(0.13)
SB78712__	11.44	(290)	3	0.7	(0.32)
SB78718__	17.44	(443)	4	1.1	(0.50)

Drop-Out for Aluminum C-Channel Stringer Only


- Provides a radius bend in accordance with EIA recommendations.
- Fits SB13AL style stringer only (not compatible with welded runways).
- No hardware required to attach drop-out to rung.
- Material: Aluminum
- Finish ___: Brushed Aluminum (AL),
Flat Black Powder Coat (FB)




Part Number	Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB13ALDO06 __	5.24"	(184)	0.4	(0.18)
SB13ALDO09 __	8.24"	(209)	0.7	(0.32)
SB13ALDO12 __	11.24"	(285)	0.9	(0.41)
SB13ALDO18 __	17.24"	(438)	1.4	(0.63)
SB13ALDO24 __	23.24"	(590)	1.9	(0.86)
SB13ALDO30 __	29.24"	(742)	2.3	(1.04)
SB13ALDO36 __	35.24"	(895)	2.7	(1.22)

PVC End Cap

- Use as a protective covering for stringer ends of cable runway.
- Sold in packages of 10.
- Meets UL 94 Flame Resistance requirement.
- Material: Black PVC Plastic



Part Number	Stringer Size 'A' x 'H'		Weight	
	In.	(mm)	Lbs.	(kg)
✓ SB110A1B	3/8" x 1 1/2"	(9 x 38)	.013	(0.006)





✓ Popular item


Neoprene End Caps

- Use as a protective covering for stringer ends of cable runway.
- Sold in packages of 10.
- Meets UL 94 Flame Resistance requirement.
- Material: Neoprene
- Color: Black

Note: Sold in bulk pack of 100 (add -100 to part number) Example: SB21A100.
Sold in bulk pack of 2 (add -2 to part number) Example: SB21A2.




Part Number	'A'		'H'		Weight Per 10		For Use With
	In.	(mm)	In.	(mm)	Lbs.	(kg)	
✓ SB21	9/16"	(14)	2"	(51)	0.8	(0.36)	SB20 or SB22
✓ SB21B	3/8"	(9)	1 1/2"	(38)	0.3	(0.13)	SB15 or SB17



✓ Popular item

Cable Runway Pan


- Use to provide continuous support for cables in runway.
- See SB128 for alternate pan positioning.
- Pans can be trimmed to fit in field.
- Material: Aluminum sheet
- Finish___: Brushed Aluminum (AL),
Telco Gray Powder Coat (TG) (one side only),
or Flat Black Powder Coat (FB) (one side only)



Part Number	Runway Width		'W'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB1906__	6"	(152)	4 ¹ / ₄ "	(108)	2.0	(0.91)
SB1909__	9"	(228)	7 ¹ / ₄ "	(184)	3.4	(1.54)
SB1912__	12"	(305)	10 ¹ / ₄ "	(260)	4.8	(2.18)
SB1915__	15"	(381)	13 ¹ / ₄ "	(336)	6.2	(2.81)
SB1918__	18"	(457)	16 ¹ / ₄ "	(413)	7.6	(3.45)
SB1920__	20"	(508)	18 ¹ / ₄ "	(463)	8.6	(3.90)
SB1924__	24"	(609)	22 ¹ / ₄ "	(565)	10.5	(4.76)
SB1930__	30"	(762)	28 ¹ / ₄ "	(717)	13.4	(6.08)
SB1936__	36"	(914)	34 ¹ / ₄ "	(870)	16.3	(7.39)

Kydex®† Runway Pan

- Use to provide continuous support for cables in runway.
- Meets UL 94 V-0
- Material: .04" (1mm) thick Kydex®†
- Colors: Gray (G)




Part Number	Runway Width		'W'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB1906KG	6"	(152)	4 ¹ / ₄ "	(108)	1.4	(0.63)
SB1909KG	9"	(228)	7 ¹ / ₄ "	(184)	2.1	(0.95)
SB1912KG	12"	(305)	10 ¹ / ₄ "	(260)	2.8	(1.27)
SB1915KG	15"	(381)	13 ¹ / ₄ "	(336)	3.5	(1.59)
SB1918KG	18"	(457)	16 ¹ / ₄ "	(413)	4.2	(1.90)
SB1920KG	20"	(508)	18 ¹ / ₄ "	(463)	4.6	(2.08)
SB1924KG	24"	(609)	22 ¹ / ₄ "	(565)	5.6	(2.54)
SB1936KG	36"	(914)	34 ¹ / ₄ "	(870)	8.4	(3.81)

Pan Support

- Use to suspend cable runway pan from rungs of cable runway.
- Seven (7) pan supports recommended for each length, 119¹/₂" (3.05m), of cable runway.
- SB128 Series is designed for use on cable runways with 1/2" x 1" (13mm x 25mm) rungs.
- SB128U Series is designed for use on cable runways with 3/8" x 1 1/2" (9mm x 38mm) rungs.
- Material: cold finished steel wire
- Finish___: Yellow Zinc (YZ), Telco Gray Powder Coat (TG) or Flat Black Powder Coat (FB)


Part Number		Runway Width		Weight	
SB128 Series	SB128U Series	In.	(mm)	Lbs.	(kg)
SB1286___	SB128U6___	6"	(152)	0.10	(0.04)
SB1289___	SB128U9___	9"	(228)	0.12	(0.05)
SB12812___	SB128U12___	12"	(305)	0.14	(0.06)
SB12815___	SB128U15___	15"	(381)	0.16	(0.07)
SB12818___	SB128U18___	18"	(457)	0.19	(0.08)
SB12820___	SB128U20___	20"	(508)	0.20	(0.09)
SB12824___	SB128U24___	24"	(609)	0.23	(0.10)
SB12830___	SB128U30___	30"	(762)	0.27	(0.12)
SB12836___	SB128U36___	36"	(914)	0.31	(0.14)



† Mark shown is property of respective owner.

Offset Cable Horn - Stringer Mounted


- Designed as a stringer extension to help retain cables in the runway.
- Grounding lugs included on retainer clip for quick and easy grounding.
- Includes: (1) offset cable horn and (1) runway stringer retainer clip.
- Material: cable horn - ASTM A510 steel
retainer clip - ASTM A607 Grade 50
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Stringer Size		Weight	
	In.	(mm)	Lbs.	(kg)
SB13011/2___	3/8" x 1 1/2"	(9 x 38)	.61	(0.27)

Straight Cable Horn - Stringer Mounted


- Designed as a stringer extension to help retain cables in the runway.
- Grounding lugs included on retainer clip for quick and easy grounding.
- Includes: (1) straight cable horn and (1) runway stringer retainer clip.
- Material: cable horn - ASTM A510 steel
retainer clip - ASTM A607 Grade 50
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Stringer Size		'H'		Weight	
	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB131811/2___	3/8" x 1 1/2"	(9 x 38)	8"	(203)	.58	(0.26)
SB1311411/2___	3/8" x 1 1/2"	(9 x 38)	14"	(355)	.72	(0.32)

Cable Horn - Rung Mounted


- Designed as a separator between cables in the runway.
- Grounding lugs included on retainer clip for quick and easy grounding.
- For use with SB17 and SB17T Series runway only.
- Includes: (1) straight cable horn and (1) runway rung retainer clip.
- Material: cable horn - ASTM A510
retainer clip - ASTM A607 Grade 50
- Finish___: Yellow Zinc (YZ) or
Black Zinc (BZ)



Part Number	Weight	
	Lbs.	(kg)
SB1328___	.67	(0.30)

Overhead Power Cable Support




- Designed as a stringer extension to help retain cables in the runway.
- Includes a upper compartment for additional cabling space.
- Grounding lugs included on retainer clip for quick and easy grounding.
- Includes: (1) straight cable horn with bracket and (1) runway stringer retainer clip.
- Material: cable horn - ASTM A510
retainer clip - ASTM A607 Grade 50
- Finish___: Yellow Zinc (YZ) or
Black Zinc (BZ)



Part Number	Stringer Size		Weight	
	In.	(mm)	Lbs.	(kg)
SB1341 1/2___	3/8" x 1 1/2"	(9 x 38)	.77	(0.35)

Cable Retaining Post


- Use to increase cable capacity fill of runway.
- Self wedging design locks post on runway.
- SB117A, SB117B, and SB117C includes: (1 each) post, plug, and clip.
- SB117AK includes: (14 each) post, plug, and clip.
- Material: ASTM A569 and A513 steel
- Finish___: Yellow Zinc (YZ), Black Zinc (BZ) or




Part Number	'W'		Fits	Qty.	Weight	
	In.	(mm)			Lbs.	(kg)
✓ SB117A	15/16"	(49)	3/8" x 1 1/2" (9mm x 38mm) Runway	1	0.35	(0.15)
SB117AK	15/16"	(49)	3/8" x 1 1/2" (9mm x 38mm) Runway	14	4.90	(2.22)
SB117B	15/16"	(49)	1/2" x 1" (12mm x 25mm) Rung	1	0.35	(0.15)
SB117C	27/16"	(62)	3/8" x 1 1/2" (9mm x 38mm) Rung	1	0.35	(0.15)

Cable Retaining Post

- Use to increase cable capacity fill of runway.
- Mounts directly to cable runway stringers.
- Made from a 1 1/2" x 3/8" (38mm x 9mm) tubular steel post welded to a stringer mounting bracket.
- Kits include: (1) cable retaining post, 1/4" mounting hardware, and neoprene end cap.
- Available in three (3) heights
- Finish___: Yellow Zinc (YZ), Flat Black (FB) or Telco Gray Powder Coat (TG)




Part Number	'H' Height		Fits	Weight	
	In.	(mm)		Lbs.	(kg)
SB12606	6"	(152)	3/8" x 1 1/2" (9mm x 38mm) Stringer	0.68	(0.31)
SB12608	8"	(203)	3/8" x 1 1/2" (9mm x 38mm) Stringer	0.78	(0.35)
SB12610	10"	(254)	3/8" x 1 1/2" (9mm x 38mm) Stringer	0.90	(0.41)



✓ FB & YZ are popular items

Overhead Power Cable Support


- Use to support power cable above cable runway.
- Self wedging design locks post on runway.
- Includes: (1 each) post, clip, and support wire.
- Material: ASTM A570, A513 and alloy steel wire
- Finish___: Yellow Zinc (YZ) or Black Zinc (BZ)



Part Number	Runway Height		Weight	
	In.	(mm)	Lbs.	(kg)
SB122___	1 1/2"	(38)	0.8	(0.36)

Cable Guide - Roller Type






- Designed for use as a guide when pulling cables into place.
- Used with cable runways and cable grids.
- Adjustable for either 3/8" (9mm) x 1 1/2" (38mm) or 2" (51mm) stringers.
- Material: Aluminum clamp and rings with steel nuts.



Part Number	Weight	
	Lbs.	(kg)
SB116	2.0	(0.91)

Power Cable Supports

- Use to support power cable under cable runway.
- Use with 1 1/2" (38mm) or 2" (51mm) stringers.
- Designed for cable runway stringers.
- Attachment hardware included.
- Material: ASTM A36 structural steel
- Finish___: Yellow Zinc (YZ), Flat Black Powder Coat (FB) or Telco Gray Powder Coat (TG)




Part Number	Stringer Style	Material Thickness		Weight	
		In.	(mm)	Lbs.	(kg)
✓ SB119A___	Single	3/16" x 1 1/4"	(4.7 x 32)	0.69	(0.31)
SB119B___	Dual	3/16" x 1 1/4"	(4.7 x 32)	0.71	(0.32)
✓ SB119C___	Single	3/16" x 1 1/4"	(4.7 x 32)	1.14	(0.51)
✓ SB119E___	Single	3/16" x 1 1/4"	(4.7 x 32)	0.73	(0.33)
✓ SB119G___	Single	1/8" x 1"	(3 x 25)	0.34	(0.15)

✓ FB & YZ are popular items

Patch Panel Rack - Runway Stringer Mounted 4RMU Cable Runway

- Use to to mount patch panels off a runway stringer above racks or cabinets to save space.
- Two (2) RMU (3 1/2" (89mm)) of 19" mounting space.
- Four (4) RMU (7" (178mm)) of 19" mounting space.
- For use on 1 1/2" (38mm) high stringer runway sections.
- Aluminum construction.
- Includes: (30) #12-24 mounting screws and all required installation hardware.
- Finish___: Flat Black Powder Coat (FB) or Telco Gray Powder Coat (TG)
(Other finishes available upon request)



Part Number	Weight	
	Lbs.	(kg)
RSMPP2U___	3.8	(1.72)
RSMPP4U___	4.2	(1.90)

