




BAN/SET®

Nominal Dimensions



3VX Section

Part Number	Weight* (Lbs.)	Effective Outside Length (Inches)	Part Number	Weight* (Lbs.)	Effective Outside Length (Inches)
3VX235	0.097	23.5	3VX600	0.252	60.0
3VX250	0.105	25.0	3VX630	0.265	63.0
3VX265	0.111	26.5	3VX670	0.281	67.0
3VX280	0.118	28.0	3VX710	0.298	71.0
3VX300	0.126	30.0	3VX750	0.315	75.0
3VX315	0.132	31.5	3VX800	0.336	80.0
3VX335	0.141	33.5	3VX830	0.342	83.0
3VX355	0.149	35.5	3VX850	0.357	85.0
3VX360	0.151	36.0	3VX900	0.378	90.0
3VX375	0.158	37.5	3VX950	0.399	95.0
3VX400	0.168	40.0	3VX1000	0.420	100.0
3VX425	0.179	42.5	3VX1060	0.445	106.0
3VX450	0.189	45.0	3VX1120	0.470	112.0
3VX475	0.200	47.5	3VX1180	0.496	118.0
3VX500	0.210	50.0	3VX1250	0.525	125.0
3VX530	0.223	53.0	3VX1320	0.554	132.0
3VX560	0.235	56.0	3VX1400	0.588	140.0

5VX Section

Part Number	Weight* (Lbs.)	Effective Outside Length (Inches)	Part Number	Weight* (Lbs.)	Effective Outside Length (Inches)
5VX450	0.450	45.0	5VX830	0.839	83.0
5VX490	0.497	49.0	5VX840	0.850	84.0
5VX500	0.506	50.0	5VX850	0.860	85.0
5VX510	0.517	51.0	5VX860	0.870	86.0
5VX530	0.536	53.0	5VX880	0.890	88.0
5VX540	0.547	54.0	5VX900	0.911	90.0
5VX550	0.557	55.0	5VX930	0.940	93.0
5VX560	0.567	56.0	5VX950	0.961	95.0
5VX570	0.577	57.0	5VX960	0.972	96.0
5VX580	0.587	58.0	5VX1000	1.012	100.0
5VX590	0.597	59.0	5VX1030	1.042	103.0
5VX600	0.607	60.0	5VX1060	1.072	106.0
5VX610	0.617	61.0	5VX1080	1.093	108.0
5VX630	0.637	63.0	5VX1120	1.133	112.0
5VX650	0.657	65.0	5VX1150	1.164	115.0
5VX660	0.668	66.0	5VX1180	1.194	118.0
5VX670	0.678	67.0	5VX1230	1.224	123.0
5VX680	0.693	68.0	5VX1250	1.265	125.0
5VX690	0.698	69.0	5VX1320	1.335	132.0
5VX710	0.718	71.0	5VX1400	1.416	140.0
5VX730	0.738	73.0	5VX1500	1.518	150.0
5VX740	0.748	74.0	5VX1600	1.619	160.0
5VX750	0.759	75.0	5VX1700	1.720	170.0
5VX780	0.785	78.0	5VX1800	1.821	180.0
5VX800	0.809	80.0	5VX1900	1.922	190.0
5VX810	0.818	81.0	5VX2000	2.023	200.0

* Weights shown are approximate.

For intermediate sizes not shown, consult BANDO for availability and price.