

Eaton 5PX3000HRTG2

Catalog Number: 5PX3000HRTG2

Eaton 5PX G2 UPS, 2U, 3000 VA, 3000 W, L6-20 input, Outputs:
(2) C19, (8) C13, 208V

General specifications



Photo is representative

Product Name	Catalog Number
Eaton 5PX G2 UPS	5PX3000HRTG2
UPC	Product Length/Depth
743172105745	23.7 in
Product Height	Product Width
3.4 in	17.2 in
Product Weight	Warranty
69.9 lb	3 year on electronics, 3 year on batteries with registration
Compliances	Certifications
CE Marked	CULus
REACH	RoHS
	ENERGY STAR certified
	IEC 62040-1

Battery

Runtime graph

\$row.attributeValue.cdata

Battery management

ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)

Battery replacement

User replaceable

Battery type

Sealed, lead-acid

Extended battery capability

Add up to 4 extended battery modules (EBM). Part number 5PXEBM72RTG2

Electrical output

Receptacle

(2) C19, (8) C13

Topology

Line-interactive

Wattage

3000 W

VA rating

3000 VA

Electrical input

Input connection

L6-20P

Input cord length

6 ft detachable

Input nominal voltage

208V

Nominal frequency

50/60 Hz

Input power factor

1

Communications

Expansion slots

One slot

Software compatibility

Brightlayer Data Centers suite

User interface

LCD graphical display

Environmental

BTU Rating

Online: 208, Battery: 1136

Additional specifications

Special features

UPS ship-in-rack option for integration into packaged deployments simplifying set up and getting you online quicker (available with the RK4PRS 4-post rail kit)

Form factor

Rack/tower

Rack size

2U

Efficiency

98%

Package contents

5PX3000HRTG2 UPS
Tower pedestal feet
Four-post rail kit
Quick start guide
Safety guide
USB cable
RS-232 cable
(2) IEC C13 to IEC C14
jumper cables (208V/230V
“H” models)

Warranty and support

Standard factory warranty

3-year factory warranty with
registration
-3 years
-Parts, electronics and
batteries coverage
-Standard ground shipping
-Technical support

Extended service plans

ADVANCED DEPOT
EXCHANGE
-5-YEAR DEPOT REPAIR:
5SW5Y-3000UC
-Expedited parts coverage
for 5 years
-Parts, electronics and UPS
batteries coverage
-Next business day shipping
-Technical support
ON-SITE 24X7, NEXT DAY
RESPONSE
2 YEAR UPGRADE:
WUN72XXX-6009UC
-On-site expedited parts and
labor coverage for first 2
years
-Parts, electronics and UPS
batteries coverage
-Eaton on-site labor
coverage
-24x7 coverage, next day
response
-Next day shipping
-Technical support
3 YEAR FLEX PLAN:
FLN73XXX-6009UC
-On-site parts and labor
coverage for years 3 to 5
-Parts, electronics and UPS
batteries coverage
-24x7 on-site labor
coverage, next day
response
-Next day shipping

Resources

Brochures

[Eaton 5PX G2 UPS brochure](#)

Manuals and user guides

[Eaton 5PX G2 quick start guide \(global models\)](#)

[Eaton 5PX H G2 Global UPS and EBM User Guide](#)

Specifications and datasheets

[Eaton Specification Sheet - 5PX3000HRTG2](#)

Technical data sheets

[Eaton 5PX G2 UPS technical specifications](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia