

Miniature Lamps (Alphanumeric)

Item	Order Code	Amps	Volts	Base	Filament	MOL in/mm	MOD in/mm	Life
577	42082	1.4	12.8	Double End Cap	C-8	1.72/43.7	0.62/15.8	1,000
577-BP	42080	1.4	12.8	Double End Cap	C-8	1.72/43.7	0.62/15.8	1,000
578	06699	0.78	12.8	Double End Cap	C-8	1.72/43.7	0.38/9.6	1,000
578-BP	06700	0.97	12.8	Double End Cap	C-8	1.72/43.7	0.38/9.6	1,000
579	06702	0.80	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	200
579-BP	06703	0.80	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	200
585	40759	0.04	28	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	7,000
605	40826	0.5	6.15	E10	C-2R	1.07/27.2	0.59/15.0	15
623	40828	0.37	28	BA15s	2C-6	1.44/36.6	0.75/19.1	1,000
624	40829	0.37	28	BA15d	2C-6	1.44/36.6	0.75/19.1	1,000
631	40832	0.63	14	BA15s	C-6/C-6	1.44/36.6	0.75/19.1	1,000
631-BP	40833	0.63	14	BA15s	C-6/C-6	1.44/36.6	0.75/19.1	1,000
655	49620	0.20	28	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	7,000
656	40836	0.06	28	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	2,500
657	40837	0.08	28	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	15,000
658	42272	0.08	14	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	15,000
658-BP	42086	0.08	14	W2.1x9.5d	C-2F	1.06/26.9	0.40/10.2	15,000
680	40852	0.06	5	WL	C-2R	0.25/6.4	0.13/3.2	60,000
683	40856	0.06	5	WL	C-2R	0.25/6.4	0.13/3.2	25,000
685	40872	0.06	5	SX4s	C-2R	0.38/9.7	0.13/3.2	25,000
715	40884	0.115	5	WL	C-2R	0.25/6.4	0.13/3.2	40,000
718	81173	0.115	5	SX4s	C-2R	0.38/9.7	0.13/3.2	40,000
755	40932	0.15	6.3	BA9s	C-2R	1.19/30.2	0.43/11.0	20,000
755-BP	16052	0.15	6.3	BA9s	C-2R	1.19/30.2	0.43/11.0	20,000
756	40934	0.08	14	BA9s	C-2F	1.19/30.2	0.43/11.0	15,000
757	40936	0.08	28	BA9s	C-2F	1.19/30.2	0.40/10.2	15,000
757-BP	42362	0.08	28	BA9s	C-2F	1.19/30.2	0.40/10.2	15,000
778	41400	3.33	6	G4	C-6	1.05/26.7	0.38/9.6	100
787	41402	1.67	6	G4	C-6	1.00/25.4	0.30/7.6	100
788	41404	3.33	6	G4	C-6	1.00/25.4	0.30/7.6	100
789	41406	1.17	12	G4	C-6	1.05/26.7	0.38/9.6	200
795	44019	3.91	12.8	BA15s	C-6	2.50/63.5	0.48/12.2	200
795X	44021	3.91	12.8	BA15s	C-8	2.50/63.5	0.48/12.2	200
796	44023	2.73	12.8	BA15s	C-6	2.50/63.5	0.48/12.2	300
797	00447	3.91	12.8	G7.1	C-6	1.9/48.3	0.5/13	200
882	42100	0.35	12.8	B10d	C-6	1.18/30.0	0.72/18.3	2,000
891	42116	0.625	12.8	G4	C-6	1.20/30.5	0.32/8.1	800
895	41004	0.53	40	BA15d	CC-6	2.00/50.8	1.04/26.4	3,800
901	42141	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
901A	43201	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
901B	43204	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
901-BP	42143	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
901G	43207	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
901R	43210	0.31	12.8	W2.1x9.5d	C-2R	1.49/37.9	0.62/15.8	500
904	41010	0.69	13.5	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	5,000
904-BP	42206	0.69	13.5	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	5,000
906	41012	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906A	01814	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906B	00358	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906-BP	42142	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906G	00356	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906P	06011	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000
906R	00357	0.69	13	W2.1x9.5d	C-2F	1.49/37.9	0.62/15.8	1,000