




GE  
Lighting

**72882 - GE Multi-Vapor® PulseArc® Quartz Metal Halide ED28**

**MVR250/HOR/PA**

**Product Photo**



**GENERAL CHARACTERISTICS**

Base Description	Mogul Screw
Base Temp C-degrees (MAX)	210 °C
Base Type	Screw-In
Bulb Temperature C-degree(MAX)	400 °C
Lamp Enclosure Type (LET)	Enclosed fixtures only
Mercury-Picogram per mean lm hr	219
Rated Life Hours-nominal	12000 h
Mercury Content EMEA ONLY	40
Product Technology	High Intensity Discharge
Base	E39
Bulb Shape	ED28

**PHOTOMETRIC CHARACTERISTICS**

Mean Lumens nominal	13700 lm
Nominal Lumens per Watt	80 lm
Initial Lumens-nominal	20000 lm
Color Rendering Index-CRI	60
Color Temperature	4400 K

**PRODUCT INFORMATION**

Product Code	72882
Description	MVR250/HOR/PA
Alternative Unit Of Measure	CASE
Standard Package Quantity	
Ean UPC	043168728829
Standard Package GTIN	10043168728826
No Of Items Per Sales Unit	
No Of Items Per Standard Package	
Sales Unit	Case
UCC	043168728829

**DIMENSIONS**

Diameter	3.5 in
Light Center Length Millimeter	5.0 in

**ELECTRICAL CHARACTERISTICS**

Burn Position	Horizontal ±75°
Rated power (Watts)	250 W