

Rittal – The System.

Faster – better – everywhere.

► Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1590.000

Date : Jun 1, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1590.000

created: 01.06.2017 build on www.rittal.com/us-en



Product description

Material: Carbon steel, zinc-plated

Protection category NEMA: NEMA 12

Supply includes: Assembly components for mounting on the enclosure.

Note: For hygiene reasons, and in view of the protection category, the stainless steel housings do not have any drilled holes for the wall mounting brackets.

Product features

Wall distance: 8 mm (0.31 ")

Packaging unit: 4 pc(s).

Weight/packaging unit: 0.14 kg (0.3 lb.)

EAN: 4028177011090

Customs tariff number: 85389099

ETIM 6.0: EC002625

ETIM 5.0: EC002625

eCl@ss 8.0/8.1: 27189234

eCl@ss 7.0/7.1: 27182405

eCl@ss 6.0/6.1: 27182405

eCl@ss 5.1/5.1.4: 27189234

Product description (long): KL Wall mounting bracket, sheet steel, galvanized, Wall distance 8 mm

Approvals

Certificates: EAC

2017 © Rittal Corporation