

# Rittal – The System.

Faster – better – everywhere.

## ► Section for cable entry, rear for TS, SE, CM, TP – TS 8802.085

Date : May 30, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Section for cable entry, rear for TS, SE, CM, TP – TS 8802.085

created: 30.05.2017 build on www.ittal.com/us-en



## Product description

**Description:** To seal the cable entry on the base opening.

**Benefits:** Particularly well-suited to cables with identical cross-sections  
When installing the mounting plate in the rearmost position, the cables may be routed directly without large bending radii.

**Applications:** Mount directly on the base opening/base tray and base plate

**Material:** Extruded aluminum section  
Foam rubber cable clamping profile: PU foam

**Technical specifications:** Foam rubber cable clamping profile: Cross-section: 30 x 25 mm

**Protection category**  
**IP to IEC 60 529:** IP 55 if correctly installed

**Supply includes:** Plug-in sections, incl. foam rubber clamp strip

**Note:** 2 pc(s). are sufficient for one base opening up to an enclosure width of 800 mm  
From an enclosure width of 1,000 mm, two base openings are provided. 4 units per enclosure may be fitted

## Product features

**Suitable for:** Enclosure type: TS 8  
Enclosure type: CM  
Enclosure type: TP  
Width: 800 mm (31 '')

---

**Packaging unit:** 2 pc(s).

---

**Weight/packaging unit:** 0.31 kg (0.7 lb.)

---

**EAN:** 4028177496361

---

**Customs tariff number:** 76042990

---

**ETIM 6.0:** EC002624

---

**ETIM 5.0:** EC002624

---

**eCl@ss 8.0/8.1:** 27189265

---

**eCl@ss 7.0/7.1:** 27400604

---

**eCl@ss 6.0/6.1:** 27400604

---

**eCl@ss 5.1/5.1.4:** 27189222

---

**Product description (long):** TS Section for cable entry, rear, for TS, SE, CM, TP, for W: 800 mm