


Rigid and IMC Conduit



Reducing Washers

Application

To be used in pairs to reduce the size of knockout holes.


Material


Galvanized steel

Dimensions

Refer to dimension section of catalog page 525

Certifications

 File No. E11259: 1061 thru 1088



 File No. LR39354: 1061 thru 1088

Federal Spec. A-A-50553: 1061 thru 1088

Galvanized Steel

Catalog Number	Size	Amount Unit	Amount Std. Pkg.	Weight Per C
1061	3/4" - 1/2"	250	1000	.8
1062	1" - 1/2"	250	1000	1.5
1063	1" - 3/4"	250	1000	1.3
1064	1 1/4" - 1/2"	100	500	2.9
1065	1 1/4" - 3/4"	100	500	2.7
1066	1 1/4" - 1"	100	500	2.0
1067	1 1/2" - 1/2"	100	200	5.5
1068	1 1/2" - 3/4"	100	200	5.1
1069	1 1/2" - 1"	100	200	4.5
1070	1 1/2" - 1 1/4"	100	200	3.7
1071	2" - 1/2"	50	100	9.0
1072	2" - 3/4"	50	100	9.1
1073	2" - 1"	50	100	7.9
1074	2" - 1 1/4"	50	100	7.4
1075	2" - 1 1/2"	50	100	6.3
1076	2 1/2" - 1/2"	50	100	10.8
1077	2 1/2" - 3/4"	50	100	11.1
1078	2 1/2" - 1"	50	100	10.5
1079	2 1/2" - 1 1/4"	50	100	10.3
1080	2 1/2" - 1 1/2"	50	100	8.3
1081	2 1/2" - 2"	50	100	7.7
1082	3" - 1/2"	Bulk	25	17.2
1083	3" - 3/4"	Bulk	25	16.8
1084	3" - 1"	Bulk	25	18.8
1085	3" - 1 1/4"	Bulk	25	18.0
1086	3" - 1 1/2"	Bulk	25	14.8
1087	3" - 2"	Bulk	25	12.8
1088	3" - 2 1/2"	Bulk	25	12.4
1089-1	3 1/2" - 1/2"	Bulk	10	32.0
1089-2	3 1/2" - 3/4"	Bulk	10	33.0
1089-3	3 1/2" - 1"	Bulk	10	31.0
1089-4	3 1/2" - 1 1/4"	Bulk	10	29.0
1089-5	3 1/2" - 1 1/2"	Bulk	10	58.0
1089-6	3 1/2" - 2"	Bulk	10	28.0
1089-7	3 1/2" - 2 1/2"	Bulk	10	25.0
1089-8	3 1/2" - 3"	Bulk	10	19.0
1090-1	4" - 1/2"	Bulk	10	40.0
1090-2	4" - 3/4"	Bulk	10	37.0
1090-3	4" - 1"	Bulk	10	38.0
1090-4	4" - 1 1/4"	Bulk	10	36.0
1090-5	4" - 1 1/2"	Bulk	10	35.0
1090-6	4" - 2"	Bulk	10	37.0
1090-7	4" - 2 1/2"	Bulk	10	33.0
1090-8	4" - 3"	Bulk	10	20.0
1090-9	4" - 3 1/2"	Bulk	10	22.0

General Notes and Product Standards

- Due to ongoing product improvements, specifications and dimensions are subject to change without prior notice.
- Dimensions are in inches and rounded off to the nearest fraction.
- Underwriters Laboratories, Canadian Standards Association, and Federal Specifications are current at time of publication but are subject to change without prior notice. Current  and  listings are noted on the smallest unit carton label. Look for the appropriate logo
- This manual is intended for use as a guide in selection of electrical fittings manufactured by Bridgeport Fittings, Inc. Do not use this manual as an interpretation of the National Electrical Code or local regulations. Always consult your local electrical inspector for requirements in your area.

Products listed by Underwriters Laboratories comply with the following specifications:

<u>Product Group</u>	<u>UL Standard</u>	<u>NEMA Standard</u>	<u>Federal Specification</u>
Rigid & IMC Conduit Bodies	UL-514A	FB-1	W-C-586D
Rigid & IMC Conduit	UL-514B	FB-1	A-A-50553
EMT	UL-514B	FB-1	A-A-50553
Liquid Tight	UL-514B	FB-1	A-A-50552
Portable Cord	UL-514B	FB-1	A-A-50552
Flexible Metal & Armored Cable	UL-514B	FB-1	A-A-50552
Nonmetallic Cable	UL-514B	FB-1	A-A-50552
Grounding Fittings	UL-467	FB-1	A-A-50552
Service Entrance	UL-514B	FB-1	W-C-586D

Steel

Catalog Number	Dim. "A"	Dim. "B"	Dim. "C"
1061	1-1/2"	7/8"	1.060
1062	1-3/4"	7/8"	1.325
1063	1-3/4"	1-1/16"	1.325
1064	2-1/4"	7/8"	1.753
1065	2-1/4"	1-1/16"	1.753
1066	2-1/4"	1-3/8"	1.753
1067	2-5/8"	7/8"	2.030
1068	2-5/8"	1-1/16"	2.030
1069	2-5/8"	1-3/8"	2.030
1070	2-5/8"	1-11/16"	2.030
1071	3-1/4"	7/8"	2.375
1072	3-1/4"	1-1/16"	2.375
1073	3-1/4"	1-3/8"	2.375
1074	3-1/4"	1-11/16"	2.375
1075	3-1/4"	2"	2.375
1076	3-1/4"	7/8"	2.850
1077	3-1/4"	1-1/16"	2.850
1078	3-1/4"	1-3/8"	2.850
1079	3-1/4"	1-11/16"	2.850
1080	3-1/4"	2"	2.850
1081	4-1/2"	2-1/2"	2.850
1082	4-1/2"	7/8"	3.500
1083	4-1/2"	1-1/16"	3.500
1084	4-1/2"	1-3/8"	3.500
1085	4-1/2"	1-11/16"	3.500
1086	4-1/2"	2"	3.500
1087	4-1/2"	2-1/2"	3.500
1088	4-1/2"	2-15/16"	3.500
1089-1	5"	7/8"	4.060
1089-2	5"	1-1/16"	4.060
1089-3	5"	1-3/8"	4.060
1089-4	5"	1-3/4"	4.060
1089-5	5"	2"	4.060
1089-6	5"	2-1/2"	4.060
1089-7	5"	2-15/16"	4.060
1089-8	5"	3-9/16"	4.060
1090-1	5-1/2"	7/8"	4.560
1090-2	5-1/2"	1-1/16"	4.560
1090-3	5-1/2"	1-3/8"	4.560
1090-4	5-1/2"	1-3/4"	4.560
1090-5	5-1/2"	2"	4.560
1090-6	5-1/2"	2-1/2"	4.560
1090-7	5-1/2"	2-15/16"	4.560
1090-8	5-1/2"	3-9/16"	4.560
1090-9	5-1/2"	4-1/16"	4.560

Reducing Washers

