

5" Ice HardenedTM Bi-Metal Hole Saw

49-56-0243



What's Included

(1) 5" Ice Hardened $^{\text{TM}}$ Bi-Metal Hole Saw (49-56-0243)

Features

- Ice Hardened[™] cryogenically treated for up to 50% longer life
- Optimized tooth form for up to 2X faster cutting
- Wide, angled & offset slots for easy plug access
- Bi-metal construction with 8% cobalt for increased wear resistance

Specifications

Hole Diameter	5"
Thread	5/8"-18
Pack Qty	1 (clamshell)
Depth of Cut	1-5/8"
RPM Mild Steel	65
RPM Stainless Steel	30
RPM Cast Iron	45
RPM Aluminum	90
Type	Hole Saws and Accessories

Overview

The Milwaukee Ice HardenedTM Hole Saw delivers up to 50% longer life and 2X faster cutting than the competition. The Milwaukee Ice HardenedTM Hole Saw is made with a proprietary cryogenic process that consistently hardens to the core. The result is performance that's superior to traditional heat-treat processing.

The saw utilizes bi-metal construction with 8% cobalt for increased wear resistance under high operating temperatures, and optimized tooth form for greater cutting speed. For fast, tool-free change-outs, use Milwaukee's universal Quick-Change Arbors. 49-56-7210, 49-56-7240, 49-56-7250, and 49-56-9100.

Model Options

Item/Cat #	Hole Diameter	Thread	Pack Qty	
49-56-0012	5/8"	1/2"-20	1 (clamshell)	
49-56-0017	11/16"	1/2"-20	1 (clamshell)	
49-56-0023	3/4"	1/2"-20	1 (clamshell)	

Item/Cat #	Hole Diameter	Thread	Pack Qty	Ş
49-56-0027	13/16"	1/2"-20	1 (clamshell)	
49-56-0032	7/8"	1/2"-20	1 (clamshell)	
49-56-0037	15/16"	1/2"-20	1 (clamshell)	
49-56-0043	1"	1/2"-20	1 (clamshell)	
49-56-0047	1-1/16"	1/2"-20	1 (clamshell)	
49-56-0052	1-1/8"	1/2"-20	1 (clamshell)	
49-56-0057	1-3/16"	1/2"-20	1 (clamshell)	
49-56-0062	1-1/4"	5/8"-18	1 (clamshell)	
49-56-0067	1-5/16"	5/8"-18	1 (clamshell)	
49-56-0072	1-3/8"	5/8"-18	1 (clamshell)	
49-56-0077	1-7/16"	5/8"-18	1 (clamshell)	
49-56-0082	1-1/2"	5/8"-18	1 (clamshell)	
49-56-0087	1-9/16"	5/8"-18	1 (clamshell)	
49-56-0092	1-5/8"	5/8"-18	1 (clamshell)	
49-56-0097	1-11/16"	5/8"-18	1 (clamshell)	
49-56-0102	1-3/4"	5/8"-18	1 (clamshell)	
49-56-0107	1-13/16"	5/8"-18	1 (clamshell)	
49-56-0112	1-7/8"	5/8"-18	1 (clamshell)	
49-56-0117	2"	5/8"-18	1 (clamshell)	
49-56-0122	2-1/16"	5/8"-18	1 (clamshell)	
49-56-0127	2-1/8"	5/8"-18	1 (clamshell)	
49-56-0132	2-1/4"	5/8"-18	1 (clamshell)	
49-56-0137	2-5/16"	5/8"-18	1 (clamshell)	
49-56-0142	2-3/8"	5/8"-18	1 (clamshell)	
49-56-0147	2-1/2"	5/8"-18	1 (clamshell)	
49-56-0153	2-9/16"	5/8"-18	1 (clamshell)	
49-56-0158	2-5/8"	5/8"-18	1 (clamshell)	
49-56-0163	2-3/4"	5/8"-18	1 (clamshell)	
49-56-0167	2-7/8"	5/8"-18	1 (clamshell)	
49-56-0173	3"	5/8"-18	1 (clamshell)	
49-56-0177	3-1/8"	5/8"-18	1 (clamshell)	
49-56-0183	3-1/4"	5/8"-18	1 (clamshell)	

Item/Cat #	Hole Diameter	Thread	Pack Qty	
49-56-0187	3-3/8"	5/8"-18	1 (clamshell)	
49-56-0193	3-1/2"	5/8"-18	1 (clamshell)	
49-56-0197	3-5/8"	5/8"-18	1 (clamshell)	
49-56-0203	3-3/4"	5/8"-18	1 (clamshell)	
49-56-0207	3-7/8"	5/8"-18	1 (clamshell)	
49-56-0213	4"	5/8"-18	1 (clamshell)	
49-56-0217	4-1/8"	5/8"-18	1 (clamshell)	
49-56-0223	4-1/4"	5/8"-18	1 (clamshell)	
49-56-0227	4-3/8"	5/8"-18	1 (clamshell)	
49-56-0233	4-1/2"	5/8"-18	1 (clamshell)	
49-56-0237	4-3/4"	5/8"-18	1 (clamshell)	
49-56-0243	5"	5/8"-18	1 (clamshell)	
49-56-0247	5-1/2"	5/8"-18	1 (clamshell)	
49-56-0253	6"	5/8"-18	1 (clamshell)	