

Wall Plates & Specialties



Pass & Seymour

Molded of rugged .065" thick polycarbonate.

Seamless, sleek, super smooth construction provides no dirt-catching channel around plate's perimeter.

SWP26W

Two-piece plastic subplate bridges recessed boxes and uneven sheet rock. Fixes floating installations.



An extra 1/8" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.

Oversized opening to accommodate all NEMA 26 decorator-style openings.

Automatic alignment pins ensure that devices are properly positioned so that wall plates fit perfectly.

Style	Page Number
Specifications & Dimensions	Q-2 – Q-4
Screwless Wall Plates	Q-5, Q-6
Studio Wall Plates	Q-7
Toggle Switch Openings	Q-8
Duplex Receptacle Openings & Decorator Openings	Q-9
Decorator Openings	Q-10
Blank Plates	Q-11, Q-12
Single Receptacle Openings & Power Outlet Openings	Q-13, Q-14
Combination Openings	Q-15 – Q-18
Despard® Openings	Q-19
Two Gang with Center Opening & Locking Switch Plates	Q-20
Louver & Biplex/Triplex Openings	Q-21
Junior-Jumbo & Jumbo Toggle, Duplex, Single Receptacle, Decorator, Blank & Combination Openings	Q-22 – Q-24
Sectional Wall Plates	Q-25
Tandem & Handy Box Plates	Q-26
Narrow Metal	Q-27
Dustproof Stainless Steel Covers	Q-28
Communication Devices & Plates	Q-29 – Q-34
Mounting Straps, Yokes & Jewels	Q-35
Decorator Hallway Lights & Combination Devices	Q-36
Decorator Combination Tamper-Resistant Nightlight/GFCI Receptacles	Q-37
PlugTail™ Nightlight/GFCI Receptacles	Q-38
Incandescent Lampholders, Neon Pilot Lights & Panelites	Q-39
Screws & Screwdrivers	Q-40
Engraved & Pad Printed	Q-41, Q-42
Custom Metal Wall Plates	Q-43 – Q-45
Custom Panel Plates	Q-46, Q-47
Style Selector Guide	Q-48 – Q-60


Devices & Wall Plates Color Selection Chart available on Pages A-29, B-78 and Q-61.



Pass & Seymour



Thermoset SP Series



Nylon TP Series



Studio Polycarbonate WP Series



Screwless Polycarbonate SWP Series

Wall Plates Specifications

Application

Legrand/Pass & Seymour's broad line of Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Legrand/Pass & Seymour devices.

Thermoset Plastic Wall Plates

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available – Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

TradeMaster® Thermoplastic Wall Plates

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only.)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"

Studio Polycarbonate Wall Plates

- Wall plate and back plate made of polycarbonate Lexan 241R opaque.
- Wall plate thickness: 0.210
Back plate thickness: 0.28

Screwless Polycarbonate Wall Plates

- Molded of .065" thick polycarbonate, matte finish.
- 2-piece plastic subplate made of polycarbonate.
- Extra 1/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black, and Light Almond; and five metallic and three wood finishes.

Metal Wall Plates

- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel.
- Standard, Jumbo, and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes. Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

Materials

- Type 302 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome, Brushed and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion.



302 Stainless Steel



Polished Brass



Brushed Brass




Aluminum

Wall Plates Dimensions




Pass & Seymour

Standard Size Wall Plates					
<ul style="list-style-type: none"> Standard size wall plates for all applications. Best fit for surface mount boxes. 			<ul style="list-style-type: none"> Available in plastic and metal only. 		
Dimensions					
1 gang	2.75" x 4.5"	4 gang	8.125" x 4.5"	7 gang	13.62" x 4.5"
2 gang	4.56" x 4.5"	5 gang	10" x 4.5"	8 gang	15.44" x 4.5"
3 gang	6.375" x 4.5"	6 gang	11.812" x 4.5"		




STANDARD

TradeMaster® Wall Plates					
<ul style="list-style-type: none"> Extra 3/16" width and height than Standard size wall plates. Provide better sheet rock coverage with standard size appearance. Available in unbreakable nylon 6 construction only. Screws pre-installed in the duplex, toggle, and decorator single gang plates. 					
Dimensions					
1 gang	2.9375" x 4.6875"	3 gang	6.563" x 4.6875"	5 gang	10.188" x 4.6875"
2 gang	4.75" x 4.6875"	4 gang	8.375" x 4.6875"	6 gang	12" x 4.6875"



TRADEMASTER STANDARD


Studio Polycarbonate Wall Plates					
<ul style="list-style-type: none"> Wall plate and back plate made of polycarbonate Lexan 241R opaque. 			<ul style="list-style-type: none"> Wall plate thickness: 0.210 Back plate thickness: 0.28 		
Wall Plate Dimensions			Back Plate Dimensions		
1 gang	2.988" x 4.901"	3 gang	6.613" x 4.901"	1 gang	3.158" x 4.97"
2 gang	4.80" x 4.901"	4 gang	8.425" x 4.901"	3 gang	6.783" x 4.97"
				2 gang	4.97" x 4.97"
				4 gang	8.595" x 4.97"



STUDIO


SCREWLESS

Screwless Polycarbonate Wall Plates					
<ul style="list-style-type: none"> Available in decorator, toggle, and duplex openings. Extra 1/8" width and height than Standard size wall plates. Provide better sheet rock coverage with standard size appearance. Molded of .065" thick polycarbonate. 2-piece plastic subplate made of polycarbonate. Available in five metallic and three wood finishes; and six standard colors. 					
Wall Plate Dimensions			Subplate Dimensions		
1 gang	3.10" x 4.87"	3 gang	6.724" x 4.87"	1 gang	2.85" x 4.62"
2 gang	4.912" x 4.87"	4 gang	8.536" x 4.87"	3 gang	6.474" x 4.62"
				2 gang	4.662" x 4.62"
				4 gang	8.286" x 4.62"




JUNIOR-JUMBO

Junior-Jumbo Wall Plates					
<ul style="list-style-type: none"> Extra 3/8" width and height than Standard size wall plates. Additional coverage for sheet rock gaps. 			<ul style="list-style-type: none"> Available in plastic and metal only. 		
Dimensions					
1 gang	3.125" x 4.87"	2 gang	4.93" x 4.87"	3 gang	6.75" x 4.87"
		4 gang	8.56" x 4.87"		



TRADEMASTER JUMBO

TradeMaster Jumbo Wall Plates					
<ul style="list-style-type: none"> Extra 3/16" width and height than Junior-Jumbo size wall plates. Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates. Available in unbreakable nylon 6 construction only. Screws pre-installed in the duplex, toggle, and decorator single gang plates. 					
Dimensions					
1 gang	3.3125" x 5.0625"	3 gang	6.9375" x 5.0625"		
2 gang	5.125" x 5.0625"	4 gang	8.75" x 5.0625"		




JUMBO

Jumbo Wall Plates					
<ul style="list-style-type: none"> Extra 3/4" width and height than Standard size wall plates. Largest size wall plates to cover larger wall damage. 			<ul style="list-style-type: none"> Available in plastic and metal only. 		
Dimensions					
1 gang	3.5" x 5.25"	2 gang	5.31" x 5.25"	3 gang	7.12" x 5.25"
		4 gang	8.93" x 5.25"		



Pass & Seymour

Wall Plates Dimensions







Sectional Wall Plates







■ End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.

Wall Plate Mountings

Illustrated are the five standard methods of plate mounting. There are many other non-standard methods which depend upon the special device used. Exact mounting hole specifications for every device appear in the Selector Guide.




Wall Plate Sizes



For Studio (WP) Wall Plate & Back Plate dimensions refer to Page Q-3.

Screwless Wall Plate Plastic Subplate



For Screwless (SWP) Wall Plate dimensions refer to Page Q-3.

Wall Plates Combination Openings

Standard Size Plastic & Metal



Description	Color	Nylon	Thermoset	Metal	
		TradeMaster® Plates	Smooth	Material	Smooth
Two Gang Combination Openings					
Two Gang 1 Toggle, 1 Single 	Ivory White Brown Gray		SP17I SP17W SP17 SP17GRY	302S/S	SS17
Two Gang Single/Duplex 	Ivory White Brown Gray		SP78I SP78W SP78 SP78GRY	Aluminum 302S/S	SA78 SS78
Two Gang Duplex/Decorator 	Ivory White Brown Gray Black Red Light Almond	TP826I TP826W TP826 TP826GRY TP826BK TP826RED TP826LA	SP826I SP826W SP826 SP826GRY SP826LA	Polished Brass 302S/S	SB826PB SS826
Two Gang Telephone/Toggle 	Ivory White Brown		SP112I SP112W SP112		
Two Gang Telephone/Duplex 	Ivory White Brown Gray		SP128I SP128W SP128 SP128GRY	302S/S	SS128
Two Gang Telephone/Blank (Strap Mtd) 	Ivory White		SP1214I SP1214W	302S/S	SS1214
Two Gang Telephone/Decorator 	White Brown		SP1226W SP1226	302S/S	SS1226
Two Gang Blank (Box Mtd)/Duplex 	Ivory White Brown Gray Black Red Light Almond	TP138I TP138W TP138 TP138GRY TP138BK TP138RED TP138LA	SP138I SP138W SP138 SP138GRY	302S/S	SS138
Two Gang Toggle/Blank (Box Mtd) 	Ivory White Brown Gray Black Light Almond	TP113I TP113W TP113 TP113GRY TP113BK TP113LA		302S/S	SS113


These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Devices & Wall Plates Color Selection Chart




Pass & Seymour

Devices & Plastic Wall Plate Colors



Ivory Light Almond White Green



Black Blue Brown Gray Orange Red


See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates



Metal Finish Aluminum Brass (Brushed) Polished Brass Stainless Steel Brushed Bronze Chrome

Custom Metal Wall Plates Paint Finish Colors



Paint Color Orange Green Gray Yellow Glossy Black Brown White



Paint Color Primer Red Pink Flat Black Ivory Light Almond Blue

To order custom metal wall plates, see Pages Q-43 – Q-45.

For additional colors consult factory.