

# Rittal – The System.

Faster – better – everywhere.

## **Baying systems TS 8 – TS 8805.500**

Date : Jan 21, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying systems TS 8 – TS 8805.500

created: 21.01.2017 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Enclosure frame: Carbon steel, 1.5 mm Roof: Carbon steel, 1.5 mm Door: Carbon steel, 2.0 mm Rear panel: Carbon steel, 1.5 mm Base plates: Carbon steel, 1.5 mm Mounting plate: Carbon steel, 3.0 mm
<b>Surface finish:</b>	Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate and base plates: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>IK code:</b>	IK09
<b>Supply includes:</b>	Enclosure frame Door(s) Right-hand door catch on single-door enclosures may be swapped to the left Roof plate Rear panel Base Plates Mounting plate 4 eyebolts Lock: 3 mm double-bit
<b>Base material:</b>	Carbon steel

## Product features

**Dimensions:** Height: 2000 mm (79 ")  
Width: 800 mm (31 ")  
Depth: 500 mm (20 ")

**Mounting plate:** Height: 1896 mm (75 ")  
Width: 699 mm (28 ")

**Number of doors:** 1

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 126.3 kg (278.4 lb.)

**EAN:** 4028177251021

**Customs tariff number:** 94032080

**ETIM 6.0:** EC000261

**ETIM 5.0:** EC000261

**eCl@ss 8.0/8.1:** 27180101

**eCl@ss 7.0/7.1:** 27180101

**eCl@ss 6.0/6.1:** 27180101

**eCl@ss 5.1/5.1.4:** 27180101

## Approvals

**Approvals:** Bureau Veritas  
CSA  
DNV GL  
Lloyds Register of Shipping  
Russian Maritime Register of Shipping  
TÜV UL + C-UL

**Certificates:** IK-Code  
Protection category

**Declarations:** Declaration of conformity  
Manufacturer's declaration